



US00D622320S

(12) **United States Design Patent**
DeCarlo et al.

(10) **Patent No.:** **US D622,320 S**

(45) **Date of Patent:** **** *Aug. 24, 2010**

(54) **FILE FOLDER**

(75) Inventors: **Anthony J. DeCarlo**, Parma, OH (US);
Chanseol Chung, Chagrin Falls, OH
(US); **Curtis Patrick Taylor**, Chagrin
Falls, OH (US)

(73) Assignee: **Ideastream Consumer Products, LLC**,
Cleveland, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/299,333**

(22) Filed: **Dec. 21, 2007**

(51) **LOC (9) Cl.** **19-02**

(52) **U.S. Cl.** **D19/90**


(58) **Field of Classification Search** D8/371,
D8/372, 373; D19/26-33, 86, 90, 99; 40/359,
40/641; 206/425; 211/46, 113, 126.13, 162;
229/67.1, 67.2, 67.3, 67.4; 248/214, 215,
248/222.51, 301; 312/184, 321; 402/4; 493/231
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,405,818 A	2/1922	Dickerson	
1,524,348 A *	1/1925	Field	211/46
1,575,673 A	3/1926	Cameron	
1,803,823 A	5/1931	Wittenmyer	
2,197,235 A	4/1940	Basher	
2,233,687 A	3/1941	Vale	
2,248,027 A	7/1941	Maass	
2,257,052 A *	9/1941	Hanna	211/46
2,289,577 A *	7/1942	Jonas	211/126.13
2,291,675 A *	8/1942	Arelt	211/126.13
2,312,717 A *	3/1943	Jonas	211/126.13
2,318,077 A *	5/1943	Jonas	211/46
2,323,123 A	6/1943	Donato et al.	
2,484,453 A	10/1949	Halverson	
2,664,089 A *	12/1953	Meltzer	40/651
2,874,699 A	2/1959	Dunleavy	
D201,935 S *	8/1965	Kelley	D19/86
3,216,581 A	11/1965	Church	

3,249,111 A	5/1966	Vincens	
3,288,144 A	11/1966	Hyams	
3,524,688 A	8/1970	Dean	
3,572,867 A	3/1971	Cooper	
3,639,020 A	2/1972	Nesbitt	
3,667,854 A *	6/1972	Jonas	402/17
3,790,050 A	2/1974	Sullivan	
3,790,242 A	2/1974	Sullivan	
3,801,175 A	4/1974	Giulie	
3,826,582 A	7/1974	Podosek	
3,850,488 A	11/1974	Elias et al.	
3,857,492 A	12/1974	Michaelis et al.	
3,865,445 A	2/1975	Dean et al.	
3,936,201 A	2/1976	Kenney et al.	
3,950,048 A	4/1976	Unti et al.	
3,957,321 A	5/1976	Rose	
D240,395 S *	7/1976	Feldmahr	D8/316
4,009,784 A	3/1977	Elias et al.	
4,031,646 A *	6/1977	de Nouel	40/359
4,053,057 A	10/1977	Snowden	
4,114,963 A	9/1978	Menahem	
D250,715 S *	1/1979	Hedstrom et al.	D19/91
4,186,504 A *	2/1980	Avery	40/359
4,208,146 A	6/1980	Schudy	
4,255,888 A *	3/1981	Bastogne	40/359
4,288,170 A	9/1981	Barber	
4,294,028 A *	10/1981	Reymond	40/359
4,395,058 A	7/1983	Terrell	
4,400,103 A	8/1983	Daughters	
4,400,107 A *	8/1983	Pitts	402/4
4,403,816 A	9/1983	Da Cruz Garcia	
4,420,086 A	12/1983	Bardes	
4,449,270 A	5/1984	Brabant	
4,487,520 A	12/1984	Maier-Hunke et al.	
4,489,836 A *	12/1984	Terrell	211/45
4,526,277 A *	7/1985	Snowden et al.	211/46
D282,758 S *	2/1986	Hirsch	D19/91
4,575,273 A *	3/1986	Gerriet	402/75
4,576,328 A	3/1986	Snider et al.	
4,624,480 A	11/1986	Marthaler et al.	
4,645,237 A	2/1987	Squire et al.	
4,681,232 A	7/1987	Du Corday	
4,721,211 A *	1/1988	Lundberg	211/46
4,722,626 A	2/1988	Abildgaard	
D298,265 S *	10/1988	Snider et al.	D19/90
4,830,268 A *	5/1989	Pitts	229/67.1
4,923,111 A	5/1990	Down	
4,923,217 A	5/1990	Pressler	
4,950,096 A	8/1990	Gilder	



4,979,626	A	12/1990	Pitts	
5,025,979	A *	6/1991	Dellacroce	229/67.2
5,048,697	A	9/1991	Payne	
5,052,646	A	10/1991	Hawes, Jr. et al.	
5,066,045	A	11/1991	Hawes, Jr. et al.	
D322,284	S *	12/1991	Whaley et al.	D19/86
5,111,941	A *	5/1992	Hillestad	211/46
5,154,527	A	10/1992	Blessing	
5,187,888	A	2/1993	O'Brien et al.	
5,197,762	A	3/1993	Abramov	
5,226,734	A *	7/1993	Scott et al.	383/22
5,248,290	A *	9/1993	Hawes et al.	493/379
5,256,130	A *	10/1993	Kachel et al.	493/210
5,261,636	A *	11/1993	Hawes et al.	281/45
5,275,439	A	1/1994	Hawes, Jr. et al.	
5,295,622	A *	3/1994	Lorber	229/67.2
5,311,685	A	5/1994	Wyant	
5,328,259	A	7/1994	Meriaux	
5,358,125	A	10/1994	Blessing	
5,393,154	A	2/1995	Hubbell	
5,487,617	A *	1/1996	Cole et al.	402/4
5,503,487	A	4/1996	Ong	
5,515,980	A *	5/1996	Fotioo	211/46
5,570,792	A *	11/1996	Huang	211/46
5,570,833	A *	11/1996	Dusek	229/67.2
D382,301	S *	8/1997	Baumgarten	D19/99
5,721,531	A	2/1998	Garver et al.	
5,722,692	A	3/1998	Abramov	
5,779,331	A *	7/1998	Fox et al.	312/184
D407,441	S *	3/1999	Greenberg et al.	D19/90
5,899,626	A	5/1999	Hatano et al.	
5,941,450	A *	8/1999	De Safey	229/67.2
5,971,166	A *	10/1999	Ong	211/46
5,993,099	A	11/1999	Greenberg et al.	
D417,697	S	12/1999	Long et al.	
D419,358	S *	1/2000	Marcon	D6/626
6,039,473	A *	3/2000	Bond	383/5
6,182,827	B1	2/2001	Su	
6,227,746	B1	5/2001	Long et al.	
6,508,376	B1 *	1/2003	Chiang	220/485
6,619,773	B2 *	9/2003	Amsterdam	312/348.3
7,025,382	B2	4/2006	Wiggins	
7,059,483	B2 *	6/2006	Scudder	211/46
7,100,775	B2 *	9/2006	Yeh	211/46
7,108,169	B2	9/2006	Balzer	
7,210,659	B2	5/2007	Lawson et al.	
D568,930	S *	5/2008	Declerck	D19/32
7,383,652	B2 *	6/2008	Glasberg	40/641
D582,192	S *	12/2008	Pan	D6/626
2003/0010815	A1	1/2003	Balzer	
2005/0000839	A1	1/2005	Densley	
2005/0199685	A1 *	9/2005	Mark et al.	229/67.2
2006/0016112	A1 *	1/2006	McCarthy et al.	40/641
2006/0059755	A1 *	3/2006	Valade et al.	40/641
2006/0226205	A1	10/2006	O'Leary et al.	
2008/0218044	A1 *	9/2008	Unda et al.	312/321
2009/0045246	A1 *	2/2009	Dodson et al.	229/67.2

FOREIGN PATENT DOCUMENTS

DE	237 284	7/1986
DE	298 01 949	5/1998
FR	908 167	4/1946
FR	1 412 327	9/1965
FR	2 621 865	4/1989
FR	2 826 910	1/2003
GB	619 391	3/1949

OTHER PUBLICATIONS

Find It Tab View Hanging File Folder, # FT07033, ASIN: B001CDZ4U0, 4 pages, on www.amazon.com, first available at Amazon.com: Apr. 19, 2006, printed from internet on Apr. 4, 2009.*

Ideastream Findit Hanging File Folder with Innovative Top Rail, #FT07033, 3 pages, on www.thenerds.net, copyright 2000-2008, printed from internet on Apr. 4, 2009.*
 Find It Hanging File Folder with Innovative Top Rail, #FT07044, 3 pages, www.amazon.com, first available on Amazon.com: Jun. 22, 2007, printed from internet on Apr. 4, 2009.*
 International Search Report for International Application No. PCT/US2008/054549 dated Sep. 23, 2008.
 Written Opinion for International Application No. PCT/US2008/054549 dated Sep. 23, 2008.
 Examiner's Report mailed Mar. 25, 2010, for Canadian Industrial Design Patent Application Serial No. 134,439.
 Examiner's Report mailed Mar. 25, 2010, for Canadian Industrial Design Patent Application Serial No. 134,440.
 Examiner's Report mailed Feb. 3, 2009, for Canadian Industrial Design Patent Application Serial No. 126,570.
 Response in Accordance with Subsection 5(2) of the Industrial Design Act submitted on Oct. 5, 2009, in response to Examiner's Report mailed Feb. 3, 2009, for Canadian Industrial Design Patent Application Serial No. 126,570.
 Response to Examiner's Report submitted on Mar. 5, 2010, in response to Examiner's Report mailed Nov. 6, 2009, for Canadian Industrial Design Patent Application Serial No. 126,570.
 Examiner's Report mailed Mar. 25, 2010, for Canadian Industrial Design Patent Application Serial No. 126,570.
 Examiner's Report mailed Nov. 6, 2009, for Canadian Patent Application Serial No. 126570.

* cited by examiner

Primary Examiner—Elizabeth A Albert
 (74) Attorney, Agent, or Firm—Calfee, Halter & Griswold

(57) CLAIM

We claim the ornamental design for a file folder, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a new, original, and ornamental design for a file folder, wherein the folder (e.g., for letter-size paper) is shown in the open position;
 FIG. 2 is a bottom plan view of the file folder of FIG. 1;
 FIG. 3 is a front elevational view of the file folder of FIG. 1;
 FIG. 4 is a rear elevational view of the file folder of FIG. 1;
 FIG. 5 is a left side elevational view of the file folder of FIG. 1;
 FIG. 6 is a right side elevational view of the file folder of FIG. 1;
 FIG. 7 is a top plan view of the file folder of FIG. 1, wherein the folder is shown in the closed position;
 FIG. 8 is a top plan view of the file folder of FIG. 1, wherein the folder is shown in the closed position and holding a conventional manila folder;
 FIG. 9 is a bottom plan view of the file folder of FIG. 1, wherein the folder is shown in the closed position and holding a conventional manila folder;
 FIG. 10 is an isometric view of the file folder of FIG. 1, wherein the folder is shown in the partially closed position;
 FIG. 11 is a top plan view of a second embodiment of the new, original, and ornamental design for a file folder, wherein the folder (e.g., for legal-size paper) is shown in the open position;
 FIG. 12 is a bottom plan view of the file folder of FIG. 11;

FIG. 13 is a front elevational view of the file folder of FIG. 11;
FIG. 14 is a rear elevational view of the file folder of FIG. 11;
FIG. 15 is a left side elevational view of the file folder of FIG. 11;

FIG. 16 is a right side elevational view of the file folder of FIG. 11;

FIG. 17 is a top plan view of the file folder of FIG. 11, wherein the folder is shown in the closed position;

FIG. 18 is a top plan view of the file folder of FIG. 11, wherein the folder is shown in the closed position and holding a conventional manila folder;

FIG. 19 is a bottom plan view of the file folder of FIG. 11, wherein the folder is shown in the closed position and holding a conventional manila folder;

FIG. 20 is an isometric view of the file folder of FIG. 11, wherein the folder is shown in the partially closed position;

FIG. 21 is a top plan view of a third embodiment of the new, original, and ornamental design for a file folder, wherein the Folder (e.g., for A4-size paper) is shown in the open position;

FIG. 22 is a bottom plan view of the file folder of FIG. 21;

FIG. 23 is a front elevational view of the file folder of FIG. 21;

FIG. 24 is a rear elevational view of the file folder of FIG. 21;

FIG. 25 is a left side elevational view of the file folder of FIG. 21;

FIG. 26 is a right side elevational view of the file folder of FIG. 21;

FIG. 27 is a top plan view of the file folder of FIG. 21, wherein the folder is shown in the closed position;

FIG. 28 is a top plan view of the file folder of FIG. 21, wherein the folder is shown in the closed position and holding a conventional manila folder;

FIG. 29 is a bottom plan view of the file folder of FIG. 21, wherein the folder is shown in the closed position and holding a conventional manila folder; and,

FIG. 30 is an isometric view of the file folder of FIG. 21, wherein the folder is shown in the partially closed position.

The broken lines that are extensions of solid lines (where the solid lines transition to become the broken lines) and the broken lines adjacent the margins of the pages represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 21 Drawing Sheets




Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22



Fig. 23



Fig. 24



Fig. 25



Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30