



US00D622441S

(12) **United States Design Patent**
Warner et al.

(10) **Patent No.:** **US D622,441 S**

(45) **Date of Patent:** **** Aug. 24, 2010**

(54) **END CAPS FOR A LUMINAIRE**

(75) Inventors: **Christopher Patrick Warner**,
Hamilton, AL (US); **Carlton Bruce**
Plunk, Saltillo, MS (US)

(73) Assignee: **Koninklijke Philips Electronics N.V.**,
Eindhoven (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/345,706**

(22) Filed: **Oct. 21, 2009**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/138**

(58) **Field of Classification Search** D13/179,
D13/180; D16/101, 135; D25/122, 124;
D26/9, 11, 22, 25, 56, 67, 71, 72, 74, 76,
D26/79, 84, 85, 88, 89, 113, 118, 119, 120,
D26/121, 122, 123, 124, 128, 129, 130, 134,
D26/137, 138, 139, 140, 141, 142, 152; 52/844;
359/811, 819; 362/145, 152, 219, 240, 241,
362/249.01, 249.02, 249.03, 249.04, 249.05,
362/249.06, 249.07, 249.08, 249.09, 249.1,
362/547, 555

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D87,355	S	*	7/1932	Pospisil	D26/72
D149,026	S	*	3/1948	Schwartz et al.	D26/76
D150,735	S	*	8/1948	Schwartz et al.	D26/78
2,474,308	A	*	6/1949	Franck et al.	362/224
2,534,182	A	*	12/1950	Schwartz et al.	362/221
2,694,775	A	*	11/1954	Florence	362/222
D175,188	S	*	7/1955	Phillips	D26/76
D311,596	S	*	10/1990	Herst et al.	D26/85
5,746,502	A	*	5/1998	Huang	362/223
D399,329	S	*	10/1998	Compton et al.	D26/76
D403,458	S	*	12/1998	Walz	D26/85
D435,131	S	*	12/2000	Szymanek	D26/75
D445,214	S	*	7/2001	Lewis	D26/113
D452,030	S	*	12/2001	Collver	D26/76

D466,244 S * 11/2002 Lewis et al. D26/76

6,984,055 B2 * 1/2006 McCarthy et al. 362/219

D559,424 S * 1/2008 Martineau et al. D26/85

D570,533 S * 6/2008 Morgan D26/138

D580,087 S * 11/2008 Couture et al. D26/76

D585,153 S * 1/2009 Maxik et al. D26/85

(Continued)

Primary Examiner—Cathron C Brooks

Assistant Examiner—Kevin K Rudzinski

(57) **CLAIM**

The ornamental design for end caps for a luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of the end caps for a luminaire of the present invention;

FIG. 2 is a left side view of the end caps for a luminaire of FIG. 1, the right side view being a mirror image thereof;

FIG. 3 is a top view of the end caps for a luminaire of FIG. 1;



FIG. 4 is a bottom view of the end caps for a luminaire of FIG. 1;

FIG. 5 is a front view of the end caps for a luminaire of FIG. 1, the rear view being a mirror image thereof; and,

FIG. 6 is an enlarged top perspective view of the front end cap of the end caps for a luminaire of FIG. 1, the top perspective view of the rear end cap of the end caps for a luminaire of FIG. 1 being a mirror image thereof.

The broken lines showing environmental structure are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D622,441 S

Page 2

U.S. PATENT DOCUMENTS

D586,030 S *	2/2009	Genova	D26/85	
D587,834 S *	3/2009	Moritz	D26/76	* cited by examiner
					D596,347 S * 7/2009 Boissevain D26/142




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6