



US00D622466S

(12) **United States Design Patent**
Sabounjian

(10) **Patent No.:** **US D622,466 S**

(45) **Date of Patent:** **** *Aug. 24, 2010**

(54) **COLLAPSIBLE CONTAINER**

(76) Inventor: **Azad Sabounjian**, 17421 Von Karman,
Irvine, CA (US) 92614

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/271,924**

(22) Filed: **Jan. 29, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/387,566,
filed on Mar. 22, 2006, now abandoned.

(51) **LOC (9) Cl.** **07-07**

(52) **U.S. Cl.** **D32/37**

(58) **Field of Classification Search** D32/37;
D3/301, 305, 307, 314, 315, 233, 246; 220/908-911,
220/485, 486, 487; 206/203, 215, 307.1,
206/555, 561, 557, 822

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 216,227 A * 6/1879 Sedgwick 220/9.2
- 356,301 A 1/1887 Belknap
- 615,720 A 12/1898 Lane
- 1,180,574 A 4/1916 Despot
- 1,581,888 A 4/1926 Thomas
- 1,583,083 A 5/1926 Macaraig
- 1,691,904 A 11/1928 Gamble
- 1,979,978 A 11/1934 Martin
- 1,994,235 A 3/1935 Solomon
- 1,999,424 A 4/1935 Sietz
- 2,030,204 A 2/1936 Gray
- 2,182,932 A 12/1939 Sanford
- 2,269,574 A 1/1942 Benenfeld
- 2,298,786 A 10/1942 Dubofsky et al.
- 2,575,893 A 11/1951 Seaman
- 2,710,084 A 6/1955 Braverman
- 2,746,582 A 5/1956 Cart

- 2,778,560 A 1/1957 Pfeiffer
- 2,874,813 A 2/1959 Bunte
- 3,014,516 A * 12/1961 Mueller 220/9.2
- 3,373,925 A 3/1968 Gatward
- 3,696,850 A 10/1972 Rosenblum
- 3,834,528 A 9/1974 Pickford et al.
- 3,935,958 A 2/1976 Franges
- 3,960,161 A 6/1976 Norman
- 4,055,239 A 10/1977 Weiner
- 4,646,802 A 3/1987 Basore et al.
- D290,538 S 6/1987 Basore

(Continued)

FOREIGN PATENT DOCUMENTS

WO PCTUS9717179 9/1997

Primary Examiner—Cynthia E Ramirez

(74) *Attorney, Agent, or Firm*—Stetina Brunda Garred &
Brucker; Lowell Anderson

(57) **CLAIM**

The ornamental design for a collapsible container, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a col-
lapsible container showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a left side view, with the right side view being a
mirror image thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a perspective view of a second embodiment of a
collapsible container showing my design;


FIG. 7 is a front elevation view thereof;

FIG. 8 is a left side view, with the right side being a mirror
image thereof;

FIG. 9 is a top plan view thereof; and,

FIG. 10 is a bottom view thereof.

1 Claim, 4 Drawing Sheets



US D622,466 S

Page 2

U.S. PATENT DOCUMENTS

4,783,031	A	11/1988	Ebentheuer	D406,423	S	3/1999	Kellogg et al.	
4,813,520	A	3/1989	Lin	5,964,533	A	10/1999	Ziglar	
4,815,784	A	3/1989	Zheng	5,971,188	A	10/1999	Kellogg et al.	
4,930,903	A	6/1990	Mahoney	D419,302	S	1/2000	Hardy et al.	
4,953,815	A	9/1990	Beymer et al.	6,030,300	A	2/2000	Zheng	
4,989,749	A	2/1991	Choi	6,059,912	A	5/2000	Kellogg et al.	
5,022,767	A	6/1991	Cardulla	6,073,643	A	6/2000	Zheng	
5,088,838	A	2/1992	Yeh	D438,009	S	2/2001	Kellogg et al. D3/305
RE33,842	E	3/1992	Ebentheuer	6,220,998	B1	4/2001	Kellogg et al. 493/218
5,116,138	A	5/1992	Macsenti et al.	RE37,924	E	12/2002	Kellogg et al. 220/9.2
5,118,201	A	6/1992	Cook	6,527,136	B1	3/2003	Sabounjian	
5,213,147	A	5/1993	Zheng	6,585,414	B2	7/2003	Peska 383/38
5,263,672	A	11/1993	He	6,702,119	B2	3/2004	Sabounjian 206/577
5,273,142	A	12/1993	Weber	D494,367	S	8/2004	Yang D3/305
5,301,705	A	4/1994	Zheng	D547,950	S	8/2007	Kellogg et al. D3/305
5,439,017	A	8/1995	Brown	D555,854	S	11/2007	Kamiya D32/37
5,618,246	A	4/1997	Zheng	2004/0047522	A1	3/2004	Thibault	
5,800,067	A	9/1998	Easter	2004/0089660	A1	5/2004	Zaytoun	
5,845,697	A	12/1998	Zheng	2006/0186119	A1	8/2006	Zheng	

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

