



US00D622674S

(12) **United States Design Patent**  
**Maier**

(10) **Patent No.:** **US D622,674 S**

(45) **Date of Patent:** **\*\* Aug. 31, 2010**

(54) **KEY FOB**

(75) Inventor: **Hans-Joachim Maier**, Wiernsheim (DE)

(73) Assignee: **Dr. Ing. h.c. F. Porsche**  
**Aktiengesellschaft**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/332,268**

(22) Filed: **Feb. 12, 2009**

(30) **Foreign Application Priority Data**

Aug. 12, 2008 (EM) ..... 000986716

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D13/168**

(58) **Field of Classification Search** ..... D13/168;  
D10/104, 106; D3/207-212; 340/426.1,  
340/426.18, 426.36, 5.23, 5.25, 5.61, 5.62,  
340/5.64, 5.72, 825.69, 825.72; 701/2; D8/347,  
D8/348; D14/435.1; 206/37.1, 37.8; 70/456 R;  
341/176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D390,195 S \* 2/1998 Chen ..... D13/168  
D393,832 S \* 4/1998 Chen ..... D13/168  
D393,996 S \* 5/1998 Sacco et al. .... D8/347  
D398,588 S \* 9/1998 Pinardi et al. .... D13/168  
6,374,164 B1 \* 4/2002 Eklind et al. .... 701/2  
D475,686 S \* 6/2003 Futschik et al. .... D13/168  
D560,352 S \* 1/2008 Cadiz et al. .... D3/208  
D583,772 S \* 12/2008 To ..... D13/168

7,463,134 B1 \* 12/2008 Stilley ..... 340/5.61  
2003/0231131 A1 \* 12/2003 Dimig et al. .... 341/176  
2007/0227866 A1 \* 10/2007 Dimig ..... 200/302.2  
2008/0129448 A1 \* 6/2008 Reichling ..... 340/5.72

\* cited by examiner

*Primary Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Laurence A. Greenberg;  
Werner H. Stemer; Ralph E. Locher

(57) **CLAIM**

The ornamental design for a key fob, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a key fob, showing my new design;  
FIG. 2 is a right-side view thereof;  
FIG. 3 is a left-side view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a rear, perspective view thereof;  
FIG. 7 is a front, perspective view thereof;  
FIG. 8 is a top view of a second embodiment of the key fob;  
FIG. 9 is a right-side view thereof of the second embodiment;  
FIG. 10 is a left-side view thereof of the second embodiment;  
FIG. 11 is a front view thereof of the second embodiment;  
FIG. 12 is a rear view thereof of the second embodiment;  
FIG. 13 is a front, perspective view thereof of the second  
embodiment; and,  
FIG. 14 is a rear, perspective view thereof of the second  
embodiment.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14