



US00D622709S

(12) **United States Design Patent**
Hern et al.

(10) **Patent No.:** **US D622,709 S**
(45) **Date of Patent:** **** Aug. 31, 2010**

(54) **WIRELESS RECEIVER UNIT FOR AN
IRRIGATION FLOW CONTROL DEVICE**

(75) Inventors: **Randall A. Hern**, San Diego, CA (US);
Malcolm N. Napier, San Diego, CA
(US); **Rajiv Dabir**, Post Falls, ID (US);
Dean C. Thornton, Alpine, CA (US)

(73) Assignee: **Rain Bird Corporation**, Azusa, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/276,206**

(22) Filed: **Jan. 18, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/458,535,
filed on Jul. 19, 2006, now Pat. No. 7,558,650.

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D14/230**

(58) **Field of Classification Search** D14/230–238;
343/700 R, 840, 841, 908; 455/3.02, FOR. 215,
455/575.2, 39; 239/11, 69, 99, 101; 700/241,
700/283, 284; D13/162; D10/40

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D208,451 S *	8/1967	Anesi	D23/245
D298,962 S *	12/1988	Bruninga	D23/245
D377,316 S *	1/1997	Roman et al.	D10/40
5,797,417 A *	8/1998	DeLattre et al.	137/78.3
5,826,619 A *	10/1998	Roman	137/624.11
D428,876 S *	8/2000	Renkis	D14/230
D431,195 S *	9/2000	Clivio	D10/40
D442,577 S *	5/2001	Strand et al.	D14/230
D442,947 S *	5/2001	Warner et al.	D14/230

D477,287 S *	7/2003	Roman	D13/162
D585,435 S *	1/2009	Wafer	D14/230
2007/0106426 A1	5/2007	Ensworth et al.	
2008/0249664 A1 *	10/2008	Runge et al.	700/284
2009/0126801 A1 *	5/2009	Grill et al.	137/78.3

OTHER PUBLICATIONS

Rain Bird; "Easy Rain, Single-Valve Battery-Operated Controller;"
Commercially Available Prior to May 17, 2007; 2 pgs.; <http://web.archive.org/web/20070203083417/www.rainbird.com/landscape/products/control...>; Rain Bird Corporation, Glendora, CA.

* cited by examiner

Primary Examiner—T. Chase Nelson
Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Fitch Even Tabin & Flannery

(57) **CLAIM**

We claim the ornamental design for a wireless receiver unit
for an irrigation flow control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wireless receiver unit for an
irrigation flow control device according to our new design, in
which all of an antenna, a panel on the front side, a support rib
on each of the left and right sides, four indicator openings on
a top surface, electrical wires and external threads on a screw
cap are illustrated in broken lines in this and the following
views, and form no part of the claimed design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right side view elevation thereof;


FIG. 4 is a rear elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7