



US00D622790S

(12) **United States Design Patent**
Brown

(10) **Patent No.:** **US D622,790 S**

(45) **Date of Patent:** **** Aug. 31, 2010**

(54) **COLLAPSIBLE, PORTABLE CHAIN LINK BACKSTOP**

(76) **Inventor:** **Aaron J. Brown**, 2655 Breezy La.,
Castle Rock, CO (US) 80109

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/337,181**

(22) **Filed:** **May 15, 2009**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/698; D21/704; D21/705;**
D25/38

(58) **Field of Classification Search** **D21/305,**
D21/698, 699, 704, 705, 780, 781, 790; D6/331,
D6/332; D25/1, 35, 38, 39, 45, 47, 48, 49,
D25/50, 53; D30/108, 114; 473/415-504;
273/348, 400, 404, 406, 407, 410; 256/1,
256/19, 24-73; 160/130, 135, 229.1, 377;
52/71

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

735,521	A *	8/1903	Jones	273/440
2,975,536	A *	3/1961	Schindler	52/656.8
3,345,040	A *	10/1967	Rivelli	256/37
3,408,071	A	10/1968	Lundy	
3,475,025	A	10/1969	Uphaus	
3,550,559	A *	12/1970	Long et al.	119/502
4,072,295	A	2/1978	Roberts	
4,085,789	A *	4/1978	Steiner et al.	160/135
4,134,439	A *	1/1979	Scott	160/135
4,712,773	A *	12/1987	Larson	256/25
4,842,035	A *	6/1989	Thompson	160/135
5,054,507	A *	10/1991	Sparks	135/97
5,054,791	A *	10/1991	Ball	273/396
5,102,103	A *	4/1992	Putnam	256/12
D352,321	S *	11/1994	Ivey	D21/704
5,402,988	A	4/1995	Eisele	

5,452,896	A *	9/1995	Core	473/164
5,577,721	A	11/1996	Hardee	
5,730,666	A	3/1998	Hudson	
5,902,195	A	5/1999	Pavonetti	
5,938,546	A *	8/1999	Caruso	473/434
D420,714	S *	2/2000	Ivanov	D21/705
6,280,367	B1 *	8/2001	Arsenault	482/140
7,270,608	B2	9/2007	Cho	
7,462,114	B2	12/2008	Moller, Jr.	
2007/0235068	A1 *	10/2007	Green	135/114

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a collapsible, portable chain link backstop, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a collapsible, portable chain link backstop, illustrated in an extended configuration, showing my new design;

FIG. 2 is a top plan view thereof, illustrated in the extended configuration;

FIG. 3 is a front elevational view thereof, illustrated in the extended configuration;



FIG. 4 is a left-side elevational view thereof, illustrated in the extended configuration, the right-side elevational view being a mirror image thereof;

FIG. 5 is a rear elevational view thereof, illustrated in the extended configuration;

FIG. 6 is a bottom plan view thereof, illustrated in the extended configuration; and,

FIG. 7 is a perspective view thereof, illustrated in a collapsed configuration.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 4




FIG. 2




FIG. 3




FIG. 5




FIG. 6




FIG. 7