



US00D622860S

(12) **United States Design Patent**
Karpiloff

(10) **Patent No.:** **US D622,860 S**

(45) **Date of Patent:** **** Aug. 31, 2010**

(54) **TRANSPORT TUBE HOLDER ASSEMBLY WITH INTERNAL AND EXTERNAL RIBS**

(57) **CLAIM**

(75) Inventor: **Kenneth Karpiloff**, Mamaroneck, NY (US)

The ornamental design for a transport tube holder assembly with internal and external ribs, as shown and described.

(73) Assignee: **Becton, Dickinson and Company**, Franklin Lakes, NJ (US)

DESCRIPTION

(**) Term: **14 Years**

(21) Appl. No.: **29/354,051**

(22) Filed: **Jan. 19, 2010**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/230**

(58) **Field of Classification Search** D24/216, D24/222, 224, 226, 227, 229, 230; 422/63-64, 422/99-104, 250, 266, 297, 330, 476; 206/563, 206/446; 211/69, 71-72, 74, 71.01

See application file for complete search history.

FIG. 1 is a frontwardly directed perspective view of the nested tube rack assembly in accordance with an embodiment of the present invention.

FIG. 2 is a rearwardly directed perspective view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 3 is a top view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 4 is a left side view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 5 is a rear view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 6 is a front view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 7 is a right side view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 8 is a bottom view of the nested tube rack assembly of FIG. 1 in accordance with an embodiment of the present invention.

FIG. 9 is a cross-sectional view of the nested tube rack assembly of FIG. 1 taken along line 9-9 in accordance with an embodiment of the present invention; and,

FIG. 10 is a close-up sectional view of the cross-sectional view of FIG. 9 taken along section 10 in accordance with an embodiment of the present invention.

The broken lines are included for the purpose of illustrating portions of the transport tube holder assembly with internal and external ribs that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D264,810 S *	6/1982	Voltmann	D24/226
D271,239 S *	11/1983	Lemieux et al.	D24/230
D337,165 S *	7/1993	Malinoff	D24/230
5,487,872 A *	1/1996	Hafeman et al.	422/101
D414,271 S *	9/1999	Mendoza	D24/224
D420,743 S *	2/2000	Monks	D24/226

(Continued)

OTHER PUBLICATIONS


U.S. Appl. No. 29/354,047, filed Jan. 19, 2010.

Primary Examiner—T. Chase Nelson

Assistant Examiner—Mark Cavanna

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

1 Claim, 7 Drawing Sheets



US D622,860 S

Page 2

U.S. PATENT DOCUMENTS

6,019,225	A *	2/2000	Kalmakis et al.	422/102	D529,622	S *	10/2006	Hadjis et al.	D24/229
D448,854	S *	10/2001	Kuiper et al.	D24/230	D533,948	S *	12/2006	Schaub et al.	D24/229
D461,554	S *	8/2002	Lafond et al.	D24/230	D556,339	S *	11/2007	Coulling et al.	D24/230
D466,219	S *	11/2002	Wynschenk et al.	D24/227	D574,505	S *	8/2008	Muller-Cohn et al.	D24/216
6,875,405	B1 *	4/2005	Mathus et al.	206/446	D601,714	S *	10/2009	Lohn et al.	D24/226

* cited by examiner




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6




FIG. 8




FIG. 9

10




FIG. 10