



US00D623171S

(12) **United States Design Patent**
Chen et al.

(10) **Patent No.:** **US D623,171 S**

(45) **Date of Patent:** **** Sep. 7, 2010**

(54) **EARPHONE**

(75) Inventors: **Chih-Chung Chen**, Tu-Cheng (TW);
Kun-Wei Tsai, Tu-Cheng (TW)

(73) Assignee: **Cheng Uei Precision Industry Co., Ltd.**, Tu-Cheng, Taipei Hsien (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/345,009**

(22) Filed: **Oct. 7, 2009**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/223**

(58) **Field of Classification Search** D14/205,
D14/206, 223; 181/129, 130, 135; 379/430,
379/420.03, 420.04; 381/380, 381; 2/209;
D29/112; 455/569.1, 569.2, 575.1; D24/174;
128/864, 866, 867

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,742,887	A	*	5/1988	Yamagishi	181/129
D469,753	S	*	2/2003	Andre et al.	D14/205
D485,548	S	*	1/2004	Obata	D14/223
D487,077	S	*	2/2004	Obata	D14/223
6,738,487	B1	*	5/2004	Nageno et al.	381/322
D515,070	S	*	2/2006	Andre et al.	D14/205
D519,107	S	*	4/2006	Yang	D14/223
D539,268	S	*	3/2007	Suzuki	D14/206
D564,495	S	*	3/2008	Sasaki	D14/205
D567,217	S	*	4/2008	Kamo et al.	D14/205
D572,703	S	*	7/2008	Ledbetter et al.	D14/205
D573,978	S	*	7/2008	Ledbetter et al.	D14/205

D576,154	S	*	9/2008	Ledbetter et al.	D14/223
D578,507	S	*	10/2008	Ando	D14/205
D579,005	S	*	10/2008	Wilhelmsen	D14/223
D586,332	S	*	2/2009	Ewert et al.	D14/223
D587,681	S	*	3/2009	Yanai	D14/205
D589,493	S	*	3/2009	Densho	D14/206
D591,721	S	*	5/2009	Densho	D14/205
D591,722	S	*	5/2009	Densho	D14/205
D596,616	S	*	7/2009	Andre et al.	D14/205
D598,894	S	*	8/2009	Masuda et al.	D14/205
D599,330	S	*	9/2009	Andre et al.	D14/223
D602,905	S	*	10/2009	Morisawa	D14/205
D605,182	S	*	12/2009	Fagnot	D14/223
D606,971	S	*	12/2009	Christopher et al.	D14/205

* cited by examiner

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Cheng-Ju Chiang

(57) **CLAIM**

The ornamental design for an earphone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of earphone showing our new design, the cord is drawn broken away for indeterminate length;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;



FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7