



US00D623369S

(12) **United States Design Patent**
Sugita et al.

(10) **Patent No.:** **US D623,369 S**
(45) **Date of Patent:** **** Sep. 7, 2010**

(54) **CLEANING DEVICE FOR OPTICAL CONNECTORS**

(75) Inventors: **Naoki Sugita**, Tokyo (JP); **Mieko Tsubamoto**, Tokyo (JP); **Masaaki Konishi**, Tokyo (JP); **Masaru Kobayashi**, Tokyo (JP)

(73) Assignee: **NTT Advanced Technology Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/338,133**

(22) Filed: **Jun. 4, 2009**

(30) **Foreign Application Priority Data**

Mar. 19, 2009 (JP) 2009-006229

(51) **LOC (9) Cl.** **08-99**

(52) **U.S. Cl.** **D32/35; D8/51**

(58) **Field of Classification Search** D8/1, D8/4, 5, 14, 20, 51-56, 58, 105-107; D32/35; 15/97.1, 210.1, 231; 385/134, 135, 147, 385/85

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D204,125	S *	3/1966	Enrietto	D8/51
D230,816	S *	3/1974	Fortune	D8/30
4,330,917	A *	5/1982	Dzurkovich	29/235
4,575,892	A *	3/1986	Ross	15/106
D300,404	S *	3/1989	Lauer	D8/14
D326,213	S *	5/1992	Freilich	D8/14
D363,376	S *	10/1995	Nieman	D4/119
D370,126	S *	5/1996	Pfanstiehl et al.	D4/135
5,557,696	A *	9/1996	Stein	385/85
5,906,686	A *	5/1999	McNeil	385/85
6,449,795	B1 *	9/2002	Sato	15/210.1
6,619,857	B2 *	9/2003	Miyake	385/85

6,810,552	B2 *	11/2004	Miyake et al.	15/210.1
6,821,025	B2 *	11/2004	Gerhard	385/85
D500,433	S *	1/2005	Klaas	D8/14
6,853,794	B2 *	2/2005	Lu et al.	385/134
D512,610	S *	12/2005	Green	D8/14
D525,401	S *	7/2006	Kida	D32/35
7,212,719	B2 *	5/2007	Fujiwara et al.	385/134
7,215,864	B1 *	5/2007	Qian et al.	385/134
7,243,390	B2 *	7/2007	Fujiwara et al.	15/97.1
D572,550	S *	7/2008	Francis	D8/51
D610,319	S *	2/2010	Fujiwara	D32/35
2002/0131748	A1 *	9/2002	Sato	385/134
2003/0019059	A1 *	1/2003	Rooke	15/105
2010/0043159	A1 *	2/2010	Fujiwara	15/97.1

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Blakely, SOkoloff, Taylor & Zafman LLP

(57) **CLAIM**

The design for a cleaning device for optical connectors, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing our new design.

FIG. 2 is a side elevation view thereof.

FIG. 3 is a side elevation view from the opposite side thereof.

FIG. 4 is a front elevation view thereof, the rear elevation being a mirror image thereof.

FIG. 5 is a top plan view thereof.

FIG. 6 is a bottom plan view thereof.

FIG. 7 is another perspective view thereof, wherein the cleaning device for optical connectors of our new design is shown in an alternate position of use; and,

FIG. 8 is a detail view of a portion of FIG. 7.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

