

US00D623465S

(12) **United States Design Patent**  
**Sheppard et al.**

(10) **Patent No.:** **US D623,465 S**

(45) **Date of Patent:** **\*\* Sep. 14, 2010**

(54) **PITCHER**

(75) Inventors: **Nasahn Adam Sheppard**, Mill Valley, CA (US); **Dominik Heinz Langhammer**, San Francisco, CA (US); **Tim Foster Wallack**, New York, NY (US)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,107**

(22) Filed: **Mar. 20, 2009**

(51) **LOC (9) Cl.** ..... **07-01**

(52) **U.S. Cl.** ..... **D7/318; D7/317**

(58) **Field of Classification Search** ..... D7/300,  
D7/316-319, 598, 600; 222/131, 472; 215/12.1;  
220/592.16

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D124,880 S	1/1941	Tuenisz	
D139,381 S	11/1944	Harris	
2,612,765 A	10/1952	Gorey	
D173,455 S *	11/1954	Reinecke et al.	D7/317
2,784,684 A *	3/1957	MacLean	249/96
2,805,561 A *	9/1957	Emmert et al.	222/131
D187,612 S *	4/1960	Wistrand	D7/317
D189,374 S	11/1960	Harris	
D199,994 S	1/1965	Knodt	
3,263,871 A	8/1966	Thompson	
D223,437 S	4/1972	Lluch	
D240,887 S	8/1976	Daenen et al.	
D263,807 S	4/1982	Kingsford	
D272,704 S *	2/1984	Smith	D10/46.2
D316,206 S	4/1991	Daenen et al.	
D317,547 S *	6/1991	Gecchelin	D7/317
D335,608 S *	5/1993	Arnold	D7/317
D386,041 S *	11/1997	Tanner et al.	D7/319
D388,655 S *	1/1998	Flom et al.	D7/319

D406,003 S *	2/1999	Tanner et al.	D7/319
D419,027 S *	1/2000	Haslem et al.	D7/319
D419,719 S	1/2000	Garcia	
D439,790 S *	4/2001	Matsushita et al.	D7/319
6,224,253 B1	5/2001	Dixon	
6,231,266 B1 *	5/2001	Gott	403/338
D458,081 S	6/2002	Bodum	
D471,767 S	3/2003	Cortes et al.	
D472,147 S	3/2003	Herrmann	

(Continued)

*Primary Examiner*—Marianne Pandozzi

(74) *Attorney, Agent, or Firm*—Cynthia L. Clay; Kim William Zerby

(57) **CLAIM**

The ornamental design for a pitcher, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a pitcher illustrating our new design;

FIG. 2 is a side view of the design of FIG. 1;

FIG. 3 is a front view of the design of FIG. 1;

FIG. 4 is a rear view of the design of FIG. 1;


FIG. 5 is a top view of the design of FIG. 1; and,

FIG. 6 is a bottom view of the design of FIG. 1.

The broken lines represent portions of the structure that form no part of the claim.

The small circles inside the lower portion of the pitcher represent fluid droplets falling into a pool of fluid represented by the wavy line.

**1 Claim, 5 Drawing Sheets**



# US D623,465 S

Page 2

---

## U.S. PATENT DOCUMENTS

D480,272 S	10/2003	Yang	
D524,087 S *	7/2006	Ali .....	D7/317
D542,077 S *	5/2007	Claypool et al. ....	D7/318
D546,697 S	7/2007	Schnipper et al.	
D553,438 S	10/2007	Boehm	
D555,416 S	11/2007	Bodum	
D564,840 S	3/2008	Williams	
D564,841 S	3/2008	Clemens et al.	
D571,154 S	6/2008	Pearson	
D573,845 S *	7/2008	Yang et al. ....	D7/612
D574,924 S *	8/2008	Horiuchi et al. ....	D23/209
7,438,799 B2 *	10/2008	Vandenbelt et al. ....	210/85
D587,060 S	2/2009	Chung	
D593,365 S	6/2009	Miller et al.	
D598,234 S	8/2009	Bodum	
D599,168 S	9/2009	Alviar et al.	
D602,731 S *	10/2009	Mankowitz .....	D7/319
D604,088 S *	11/2009	Bursztein .....	D7/319

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6