



US00D623485S

(12) **United States Design Patent**
Silvers et al.

(10) **Patent No.:** **US D623,485 S**

(45) **Date of Patent:** **** Sep. 14, 2010**

(54) **MUDDLER**
(75) Inventors: **Michael Henry Silvers**, Ultimo (AU);
Sam Tam, Ultimo (AU)
(73) Assignee: **Howard Silvers & Sons Pty Ltd**,
Ultimo, NSW (AU)
(**) Term: **14 Years**
(21) Appl. No.: **29/342,334**

D575,984 S 9/2008 Coppi
D577,541 S 9/2008 Giannone
D578,345 S 10/2008 Rae
D578,824 S 10/2008 Munari et al.
D578,825 S 10/2008 Bogani
D579,265 S 10/2008 Munari
D580,703 S 11/2008 Devries
D584,104 S 1/2009 Munari
D588,398 S 3/2009 Pan
D590,206 S 4/2009 Munari

(22) Filed: **Aug. 21, 2009**

(Continued)

(51) **LOC (9) Cl.** **07-06**

Primary Examiner—Terry A Wallace

(52) **U.S. Cl.** **D7/683**

(74) *Attorney, Agent, or Firm*—Greenberg Traurig LLP

(58) **Field of Classification Search** D7/682,
D7/376, 379, 688, 399, 368, 669; 30/376;
241/169.2; 366/129, 343, 332, 333, 315,
366/316, 317, 256

(57) **CLAIM**

See application file for complete search history.

The ornamental design for a muddler, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

D27,270 S 6/1897 Baxter
D143,028 S 11/1945 Reynolds
D146,518 S 3/1947 Ramsthal
D240,389 S 7/1976 Merry
4,738,542 A * 4/1988 Hung 366/343
D339,964 S 10/1993 Knox
5,366,286 A * 11/1994 Ruttimann 366/129
D365,966 S 1/1996 Ancona
D379,750 S 6/1997 Thompson et al.
D381,554 S 7/1997 Tichenor
D382,770 S 8/1997 Raoult
5,863,118 A * 1/1999 Ackels et al. 366/129
D414,986 S 10/1999 Mulhauser et al.
6,131,290 A 10/2000 Chiou
D448,605 S 10/2001 Horan
D461,680 S 8/2002 Kerr
6,454,455 B1 * 9/2002 Jungvig 366/129
D519,315 S 4/2006 Coudurier
D527,579 S 9/2006 Park
D559,617 S 1/2008 Kloppsteck
D567,023 S * 4/2008 Baldieri D7/414

This application is related to U.S. Utility patent application Ser. No. 12/545,806, filed Aug. 21, 2009, still pending. The contents of that application is incorporated by reference herein in its entirety.

FIG. 1 is a first side view of the muddler showing our new design;

FIG. 2 is a second side view of the muddler showing our new design, the view being a 90 degree turn relative to FIG. 1;

FIG. 3 is top view of the showing our new design;


FIG. 4 is another view showing our new design;

FIG. 5 is a perspective view from the bottom of the showing our new design;

FIG. 6 is a perspective view from the top of the showing our new design with parts separated; and,

FIG. 7 is a view from the bottom of the showing our new design.

1 Claim, 7 Drawing Sheets



US D623,485 S

Page 2

U.S. PATENT DOCUMENTS

D591,020 S 4/2009 Dotterman et al.
D596,896 S 7/2009 Munari
D606,806 S 12/2009 Campbell et al.

D609,871 S 2/2010 Zach et al.
2007/0220710 A1 9/2007 Hsieh

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7

