



US00D623508S

(12) **United States Design Patent**
Reichle et al.

(10) **Patent No.:** **US D623,508 S**
(45) **Date of Patent:** **** Sep. 14, 2010**

(54) **RAILROAD ATTACHMENT CLAMP**

4,671,475 A 6/1987 Widmer

(75) Inventors: **David L. Reichle**, Bradenton, FL (US);
Gary E. Choate, Denver, CO (US)

(73) Assignee: **Fastrax Industries, Inc.**, Littleton, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/359,705**

(22) Filed: **Apr. 14, 2010**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/394; D12/51**

(58) **Field of Classification Search** D8/356,
D8/371, 394-396; 24/570, 457; 248/74.2,
248/215, 227.1, 49, 300, 301, 316.7, 51,
248/489; D19/65, 56; D12/51; 238/14.2,
238/338, 351, 354, 264

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|------------------|-------|----------|
| 1,058,127 A * | 4/1913 | Wolhaupter | | 238/304 |
| D57,331 S * | 3/1921 | Grapes | | D12/51 |
| 2,678,655 A * | 5/1954 | Butler | | 132/281 |
| 2,875,969 A | 3/1959 | Thomson | | |
| 2,886,088 A | 5/1959 | Brancato | | |
| 2,910,567 A | 10/1959 | Holstein | | |
| 3,021,076 A * | 2/1962 | Finch | | 238/321 |
| 3,037,729 A * | 6/1962 | Holton | | 248/71 |
| 3,233,097 A | 2/1966 | Watkins | | |
| 3,243,573 A | 3/1966 | Weisse et al. | | |
| 3,264,472 A | 8/1966 | Simmons | | |
| 3,349,722 A | 10/1967 | Davis | | |
| 3,394,251 A | 7/1968 | King et al. | | |
| 3,439,161 A | 4/1969 | McElwee et al. | | |
| 3,697,746 A | 10/1972 | Patterson et al. | | |
| 3,830,427 A | 8/1974 | Polidori | | |
| 4,195,805 A | 4/1980 | Keep, Jr. | | |
| RE31,081 E | 11/1982 | Keep, Jr. | | |
| 4,383,614 A * | 5/1983 | Miller | | 211/59.2 |
| 4,391,425 A | 7/1983 | Keep, Jr. | | |

(Continued)

Primary Examiner—Cathron C Brooks

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Marsh Fischmann & Breyfogle LLP

(57) **CLAIM**

The ornamental design for the railroad attachment clamp, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of the railroad attachment clamp; FIG. 2 is a front view of the open end of the railroad attachment clamp;

FIG. 3 is a rear view of the closed end of the railroad attachment clamp;

FIG. 4, is a right side plan view of the railroad attachment clamp;

FIG. 5, is a right side plan view of the railroad attachment clamp;



FIG. 6 is a top view of the railroad attachment clamp;

FIG. 7, is a bottom plan view of the railroad attachment clamp; and,

FIG. 8 is a top perspective view of the railroad attachment clamp with a track rail as environment.

The portions of the clamp shown in broken lines form no part of the claimed design. The dot-dash lines represent the boundary between claimed and unclaimed portions of the clamp, and form no part of the claimed design. The broken line showing of a track rail depicts environment only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D623,508 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|-----------|-----|---------|--------------------|---------|--------------|------|---------|-------------------|-----------|
| 4,778,106 | A * | 10/1988 | Diener et al. | 238/349 | 5,824,997 | A | 10/1998 | Reichle et al. | |
| 4,801,084 | A * | 1/1989 | Rex | 238/351 | 5,997,368 | A * | 12/1999 | Mello et al. | 439/877 |
| 5,004,190 | A | 4/1991 | Montierth et al. | | 6,104,010 | A | 8/2000 | Reichle et al. | |
| 5,127,577 | A * | 7/1992 | Lynch et al. | 238/378 | 6,186,799 | B1 * | 2/2001 | Mello | 439/92 |
| 5,148,981 | A * | 9/1992 | Lynch et al. | 238/351 | 7,717,387 | B2 * | 5/2010 | Naheem | 248/316.7 |
| 5,722,509 | A * | 3/1998 | Clinger | 184/3.1 | 2006/0032934 | A1 | 2/2006 | Reichle | |
| 5,782,406 | A * | 7/1998 | Igwemezie | 238/67 | 2006/0150563 | A1 * | 7/2006 | Naheem | 52/698 |
| 5,820,021 | A * | 10/1998 | Rex | 238/351 | 2007/0063064 | A1 * | 3/2007 | Young | 238/264 |

* cited by examiner




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8