



US00D623732S

(12) **United States Design Patent**
Brady et al.

(10) **Patent No.:** **US D623,732 S**

(45) **Date of Patent:** **** Sep. 14, 2010**

(54) **MEDICAL INJECTOR**

(75) Inventors: **Daniel Brady**, Old Windsor (GB); **Alun Wilcox**, Richmond (GB)

(73) Assignee: **Human Genome Sciences, Inc.**,
Rockville, MD (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/351,812**

(22) Filed: **Dec. 11, 2009**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/113**

(58) **Field of Classification Search** D24/112-114,
D24/133, 186, 104, 130, 127; 606/181, 185;
604/232, 187, 158, 164.08, 192, 263, 163,
604/181, 184, 198, 227, 407; 277/316
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,772,031	A *	9/1988	Poppo	277/316
4,998,924	A *	3/1991	Ranford	604/198
D323,030	S *	1/1992	Ahlstrand et al.	D24/114
5,292,318	A *	3/1994	Haber et al.	604/407
5,674,203	A *	10/1997	Lewandowski	604/198
6,120,481	A *	9/2000	Rennert et al.	604/187
6,193,696	B1 *	2/2001	Jansen et al.	604/198
D461,555	S *	8/2002	Binet et al.	D24/114
D550,363	S *	9/2007	Hannant et al.	D24/186
D561,894	S *	2/2008	Hudson	D24/113
D578,210	S *	10/2008	Muta et al.	D24/114
D607,558	S *	1/2010	Abry et al.	D24/113
D610,253	S *	2/2010	Kawamura	D24/114

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—David G Muller

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner, LLP

(57) **CLAIM**

The ornamental design for a medical injector, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a medical injector of our new design, with a plunger depicted in a retracted position, and a barrel in a first extended position;

FIG. 2 is a left side view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left end view thereof;

FIG. 7 is a right end view thereof;

FIG. 8 is a top, front perspective view of our new design, with the plunger depicted in an extended position, and the barrel in a second extended position;

FIG. 9 is a left side view thereof;

FIG. 10 is a right side view thereof;

FIG. 11 is a top view thereof;


FIG. 12 is a bottom view thereof;

FIG. 13 is a left end view thereof; and,

FIG. 14 is a right end view thereof.

The broken lines in FIGS. 1-6 and 8-13 depict portions of the device that are environment and are not part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13