



US00D623786S

(12) **United States Design Patent**  
**Wessel**

(10) **Patent No.:** **US D623,786 S**  
(45) **Date of Patent:** **\*\* Sep. 14, 2010**

(54) **CONVERTIBLE WORK LIGHT**

(57) **CLAIM**

(76) **Inventor:** **Elmer A. Wessel**, 3330 Manassas,  
Lincoln, NE (US) 68516

The ornamental design for a convertible work light, as shown  
and described.

(\*\*) **Term:** **14 Years**

**DESCRIPTION**

(21) **Appl. No.:** **29/352,770**

(22) **Filed:** **Dec. 24, 2009**

(51) **LOC (9) Cl.** ..... **26-01**

(52) **U.S. Cl.** ..... **D26/49; D26/51**

(58) **Field of Classification Search** ..... D26/37,  
D26/38, 46, 49, 40, 42, 51, 144; 362/157,  
362/158, 183, 190, 194–208; D6/498; D16/244  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                   |         |                    |       |         |
|-------------------|---------|--------------------|-------|---------|
| D285,361 S *      | 8/1986  | Marcucci           | ..... | D26/138 |
| D377,538 S *      | 1/1997  | Blevins            | ..... | D26/38  |
| D450,339 S *      | 11/2001 | Eason              | ..... | D16/244 |
| D480,493 S *      | 10/2003 | Liou               | ..... | D26/49  |
| D496,115 S *      | 9/2004  | Lin                | ..... | D26/49  |
| D513,642 S *      | 1/2006  | Zhang              | ..... | D26/49  |
| D546,489 S *      | 7/2007  | Yuen               | ..... | D26/42  |
| D551,368 S *      | 9/2007  | Shiu               | ..... | D26/37  |
| 7,296,909 B2 *    | 11/2007 | Van Deursen et al. | ..... | 362/199 |
| D568,514 S *      | 5/2008  | Shiu               | ..... | D26/49  |
| D595,440 S *      | 6/2009  | Rivera et al.      | ..... | D26/49  |
| D596,771 S *      | 7/2009  | Lee                | ..... | D26/46  |
| D604,437 S *      | 11/2009 | Yang               | ..... | D26/49  |
| D607,591 S *      | 1/2010  | Rivera et al.      | ..... | D26/49  |
| 2001/0020903 A1 * | 9/2001  | Wang               | ..... | 340/908 |
| 2002/0136005 A1 * | 9/2002  | Lee                | ..... | 362/171 |
| 2005/0036308 A1 * | 2/2005  | Wright             | ..... | 362/190 |

\* cited by examiner

*Primary Examiner*—Charles A Rademaker

*Assistant Examiner*—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Geoffrey E. Dobbin

FIG. 1 is a left elevation of the convertible work light in a  
stowed configuration, the right elevation being a mirror image  
thereof.

FIG. 2 is a front elevation of the convertible work light of FIG.  
1, the rear elevation being a mirror image thereof.

FIG. 3 is a top plan view of the convertible work light of FIG.  
1.

FIG. 4 is a bottom plan view of the convertible work light of  
FIG. 1.

FIG. 5 is a top perspective view of the convertible work light  
of FIG. 1.

FIG. 6 is a bottom perspective view of the convertible work  
light of FIG. 1.

FIG. 7 is a front elevation of the convertible work light in a  
deployed configuration.

FIG. 8 is a perspective view of the convertible work light of  
FIG. 8.


FIG. 9 is a bottom plan view of the convertible work light of  
FIG. 8.

FIG. 10 is a close-up view of the stand portion of the convert-  
ible work light of FIG. 8, with one leg removed to show detail  
of the stand portion. The stand portion of the convertible work  
light repeats its patterning and design as it is rotated 120°.

FIG. 11 is a front elevation of the head portion of the convert-  
ible work light of FIG. 8, the rear elevation being a mirror  
image thereof; and,

FIG. 12 is a left elevation of the head portion of FIG. 11, the  
right elevation being a mirror image thereof.

**1 Claim, 5 Drawing Sheets**








FIG. 1




FIG. 3




FIG. 2




FIG. 4






FIG. 5




FIG. 6






FIG. 11




FIG. 12




FIG. 7






FIG. 8




FIG. 9






FIG. 10