



US00D623865S

(12) **United States Design Patent**  
**Winer et al.**

(10) **Patent No.:** **US D623,865 S**

(45) **Date of Patent:** **\*\* Sep. 21, 2010**

(54) **CUBE-HOLDING FRAME**

**DESCRIPTION**

(76) Inventors: **David A. Winer**, 886 Beaver Creek Rd., Shelburne, VT (US) 05482; **Gordon E. Winer**, 11 Winchester Crescent, Calgary, AB (CA) T3C 2T9

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/314,517**

(22) Filed: **Apr. 7, 2009**

(51) **LOC (9) Cl.** ..... **06-07**

(52) **U.S. Cl.** ..... **D6/300; D6/449**

(58) **Field of Classification Search** ..... D6/300-314, D6/477, 479; D21/484-486, 489-494, 499-506; 273/153 R, 160, 241; D25/113-118; 446/85, 446/69; 40/700, 720-724, 729-731, 734-735, 40/798

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,494,756 A	1/1985	Winer	
5,427,375 A *	6/1995	Breckwoldt	273/153 S
D408,061 S *	4/1999	Borg	D21/337
D414,613 S *	10/1999	Pohlman, Jr.	D6/301
D475,094 S *	5/2003	Ko	D21/478
D491,235 S *	6/2004	Fang	D21/478
6,974,130 B2 *	12/2005	Sugden	273/153 S
D528,607 S *	9/2006	Sugden	D21/478
7,100,917 B2 *	9/2006	Wang	273/153 S
D593,976 S *	6/2009	Liaw	D14/126

\* cited by examiner

*Primary Examiner*—Caron Veynar

*Assistant Examiner*—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Lerner, David, Littenberg, Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for a cube-holding frame, as shown and described.

FIG. 1 is a perspective view of a first embodiment of a cube-holding frame, in accordance with the present invention;

FIG. 2 is another perspective view of the cube-holding frame shown in FIG. 1, with cubes shown in dashed outline positioned in various locations of the cube-holding frame;

FIG. 3 is yet another perspective view of the cube-holding frame shown in FIG. 1, with cubes shown in dashed outline positioned in each location of the cube-holding frame;

FIG. 4 is a top view of the cube-holding frame shown in FIG. 1;

FIG. 5 is a bottom view of the cube-holding frame shown in FIG. 1;

FIG. 6 is a front elevational view of the cube-holding frame shown in FIG. 1, the left side, right side, and rear side each being a mirror image thereof;

FIG. 7 is a left side sectional view of the cube-holding frame shown in FIG. 1, taken along line 7—7 of FIG. 6;

FIG. 8 is a top sectional view of the cube-holding frame shown in FIG. 1, taken along line 8—8 of FIG. 6;

FIG. 9 is a perspective view of a second embodiment of a cube-holding frame, in accordance with the present invention;

FIG. 10 is another perspective view of the cube-holding frame shown in FIG. 9, with cubes shown in dashed outline positioned in various locations of the cube-holding frame;

FIG. 11 is a top view of the cube-holding frame shown in FIG. 9;

FIG. 12 is a bottom view of the cube-holding frame shown in FIG. 9; and,

FIG. 13 is a front elevational view of the cube-holding frame shown in FIG. 9, the left side, right side, and rear side each being a mirror image thereof.

It is noted that the cubes shown in dashed outline in FIGS. 2, 3, and 10 do not form part of the invention. All surfaces of the first embodiment of the cube-holding frame of FIGS. 1-8 are transparent. All surfaces of the second embodiment of the cube-holding frame of FIGS. 9-13 are opaque.

**1 Claim, 13 Drawing Sheets**





FIG. 1









FIG. 2



*FIG. 3*



**FIG. 4**



*FIG. 5*




FIG. 6






FIG. 7





*FIG. 8*



*FIG. 9*






FIG. 10




*FIG. 11*





*FIG. 12*



*FIG. 13*

