



US00D623973S

(12) **United States Design Patent**
Shigeno et al.

(10) **Patent No.:** **US D623,973 S**

(45) **Date of Patent:** **** Sep. 21, 2010**

(54) **BELT WITH ELECTRODE FOR VISCERAL FAT METER**

(75) Inventors: **Takashi Shigeno**, Kawasaki (JP); **Kazuya Andachi**, Tokyo (JP); **Tadashi Koike**, Kyoto (JP); **Yoshikazu Inami**, Akashi (JP); **Takehiro Hamaguchi**, Kyoto (JP); **Hikomichi Karo**, Kyoto (JP); **Tomoya Ijiri**, Kameoka (JP)

(73) Assignee: **Omron Healthcare Co., Ltd.**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/342,143**

(22) Filed: **Aug. 19, 2009**

(30) **Foreign Application Priority Data**

Mar. 2, 2009 (JP) 2009-004517

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/93; D10/97**

(58) **Field of Classification Search** D10/93-94,
D10/97; 177/236-245; 600/547; 702/64;
244/259

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D584,978 S * 1/2009 Kousuge D10/93
2006/0094979 A1 * 5/2006 Masuo et al. 600/547
2008/0071186 A1 * 3/2008 Kasahara 600/547
2010/0181354 A1 * 7/2010 Laniado 224/259

FOREIGN PATENT DOCUMENTS

JP D 1328538 4/2008

* cited by examiner

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Capitol City TechLaw

(57) **CLAIM**

The ornamental design for a belt with electrode for visceral fat meter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a belt with electrode for visceral fat meter showing our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is an enlarged front perspective view showing a condition in which the buckles are fastened thereof;

FIG. 10 is an enlarged rear perspective view showing a condition in which the buckles are fastened thereof;

FIG. 11 is an enlarged rear perspective view showing a condition in which the buckles are unfastened and the belts are peeled back thereof;

FIG. 12 is an enlarged front elevational view showing a condition in which the buckles are fastened thereof;

FIG. 13 is an enlarged rear elevational view showing a condition in which the buckles are fastened thereof; and,

FIG. 14 is an enlarged rear elevational view of the finder of FIG. 13 thereof.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

