



US00D623987S

(12) **United States Design Patent**
Fildan et al.

(10) **Patent No.:** **US D623,987 S**
(45) **Date of Patent:** **** Sep. 21, 2010**

(54) **BRASSIERE-WING BACK CLOSURE**

(75) Inventors: **Gerhard Fildan**, Vienna (AT); **Karl Wanzenböck**, Teesdorf (AT)

(73) Assignee: **Fildan Accessories (HK) Ltd**, Kwun Tong Kowloon (HK)

(**) Term: **14 Years**

(21) Appl. No.: **29/326,171**

(22) Filed: **Oct. 14, 2008**

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.** **D11/208; D11/200**

(58) **Field of Classification Search** D11/200,
D11/208, 212, 218, 210; 2/311-315, 244,
2/245; D2/639; D5/63, 65; 24/198, 194,
24/615, 616, 697.1; 450/86

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,055,008 A * 3/1913 Wright 24/194

(Continued)

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for a brassiere-wing back closure, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a brassiere wing back closure showing my new design;

FIG. 2 is a side view of first closure;

FIG. 3 is a small scale front view of the female part thereof of conventional thickness shown separately for purposes of illustration;

FIG. 4 is a small scale front view of the male part thereof of conventional thickness shown separately for purposes of illustration;

FIG. 5 is a small-scale back view of the female part of the invention;

FIG. 6 is a small-scale back view of the male part of the invention;

FIG. 7 is a front view of a brassiere wing back closure of a second embodiment showing my new design;

FIG. 8 is a side view of the second closure;

FIG. 9 is a small scale front view of the female part thereof of conventional thickness shown separately for purposes of illustration;

FIG. 10 is a small scale front view of the male part thereof of conventional thickness shown separately for purposes of illustration;

FIG. 11 is a small-scale back view of the female part of the second closure according to the invention;

FIG. 12 is a small-scale back view of the male part of the second closure according to the invention;

FIG. 13 is a front view of a brassiere wing back closure of a third embodiment showing my new design;

FIG. 14 is a side view of the third closure;

FIG. 15 is a small scale front view of the female part thereof of conventional thickness shown separately for purposes of illustration;



FIG. 16 is a small scale front view of the male part thereof of conventional thickness shown separately for purposes of illustration;

FIG. 17 is a small-scale back view of the female part of the third closure according to the invention; and,

FIG. 18 is a small-scale back view of the male part of the third closure according to the invention.

The broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D623,987 S

Page 2

U.S. PATENT DOCUMENTS

2,012,466	A *	8/1935	Goldsmith et al.	24/198				
D176,378	S *	12/1955	Paulson	D11/208				
2,956,324	A *	10/1960	Klein	24/323				
4,908,917	A *	3/1990	Kazle	24/615				
D348,420	S *	7/1994	Edsall	D11/218				
D352,681	S *	11/1994	Fildan	D11/218				
5,427,562	A *	6/1995	Hwang	450/58				
D369,327	S *	4/1996	Fildan	D11/210				
5,784,765	A *	7/1998	Fildan	24/615				
D440,905	S *	4/2001	Fildan et al.	D11/218				
7,435,154	B2 *	10/2008	Fildan et al.	450/39				

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18