



US00D624028S

(12) **United States Design Patent**  
**Stamate et al.**

(10) **Patent No.:** **US D624,028 S**  
(45) **Date of Patent:** **\*\* Sep. 21, 2010**

(54) **MANUAL CONTROL DEVICE**

(75) Inventors: **Robert L. Stamate**, Chillicothe, IL  
(US); **Norval P. Thomson**, Dunlap, IL  
(US)

(73) Assignee: **Caterpillar Inc**, Peoria, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/323,958**

(22) Filed: **Sep. 3, 2008**

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/168; D13/162**

(58) **Field of Classification Search** ..... D13/158,  
D13/162, 168, 173, 177, 184, 199; D10/104,  
D10/106; D14/218, 247; 340/426.1, 426.18,  
340/426.36, 5.23, 5.25, 5.61, 5.62, 5.64,  
340/5.72, 825.69, 825.72; 341/20, 22, 23,  
341/24, 34, 176; 345/156, 158, 169; 348/734;  
701/2; D3/207, 208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,012,014	A	3/1977	Marshall	
4,555,960	A	12/1985	King	
4,738,417	A	4/1988	Wenger	
4,947,701	A	8/1990	Hegg	
D320,785	S *	10/1991	Ruttgerodt	..... D13/168
5,142,931	A	9/1992	Menahem	
5,168,221	A	12/1992	Houston	
5,491,497	A	2/1996	Suzuki	
5,589,828	A	12/1996	Armstrong	
D392,945	S *	3/1998	Barry et al.	..... D13/168
D435,020	S *	12/2000	Zweig et al.	..... D13/162
D437,298	S *	2/2001	Picozza et al.	..... D13/168

6,462,730	B2	10/2002	Numata et al.	
6,646,630	B1 *	11/2003	Yang	..... 345/156
6,898,496	B2	5/2005	Chernoff et al.	
D519,467	S *	4/2006	Chow et al.	..... D13/167
D526,966	S *	8/2006	Chen	..... D13/168
7,248,252	B2	7/2007	Amari et al.	
D581,843	S *	12/2008	Kluck	..... D12/179
D583,775	S *	12/2008	Knoch	..... D13/168
D589,906	S *	4/2009	Tupinier	..... D13/168
2002/0171559	A1 *	11/2002	Yang	..... 340/825.69
2006/0290670	A1	12/2006	Ishimaru	
2007/0144290	A1	6/2007	Lee et al.	
2007/0199398	A1	8/2007	Ott et al.	

\* cited by examiner

*Primary Examiner*—Daniel D Bui

*Assistant Examiner*—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer

(57) **CLAIM**

The ornamental design for a manual control device, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a manual control device, showing our new design;

FIG. 2 is a front side view thereof;

FIG. 3 is a rear side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines are for illustration purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7