



US00D624175S

(12) **United States Design Patent**
Omori et al.

(10) **Patent No.:** **US D624,175 S**
(45) **Date of Patent:** **** Sep. 21, 2010**

(54) **CONTAINER FOR BLOOD COLLECTION**

(75) Inventors: **Masayoshi Omori**, Hiroshima (JP);
Seishin Tanaka, Hiroshima (JP);
Yasunori Okamoto, Hiroshima (JP)

(73) Assignee: **JMS Co., Ltd.**, Hiroshima (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/341,999**

(22) Filed: **Aug. 17, 2009**

(30) **Foreign Application Priority Data**

Feb. 18, 2009 (JP) 2009-003190

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/108**

(58) **Field of Classification Search** D24/107,
D24/108, 111, 112, 117, 118, 121, 129, 164,
D24/167, 169; 494/2, 16, 36, 37, 84, 17,
494/20, 31, 33, 34; 435/2; 436/177; 422/99,
422/101, 102, 103; 210/257.1, 259, 422,
210/782, 806; 604/7, 6.15, 6.1, 30, 27, 19,
604/317, 403, 410

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,047,526 A * 9/1977 Reynolds et al. 604/6.15
4,820,297 A * 4/1989 Kaufman et al. 604/410
4,900,321 A * 2/1990 Kaufman et al. 604/410
5,045,074 A * 9/1991 Satterfield et al. 604/317
5,071,570 A * 12/1991 Shiraki et al. 210/782
5,102,407 A * 4/1992 Carmen et al. 604/410
5,141,645 A * 8/1992 Shiraki et al. 604/410
5,234,403 A * 8/1993 Yoda et al. 604/6.1
D339,194 S * 9/1993 Telang et al. D24/117
D347,891 S * 6/1994 Koch D24/118
D367,110 S * 2/1996 Cotter D24/118
5,523,004 A * 6/1996 Tanokura et al. 210/782
5,527,472 A * 6/1996 Bellotti et al. 210/257.1
5,648,265 A * 7/1997 Epstein 604/403

D383,837 S * 9/1997 Cotter D24/108
5,674,199 A * 10/1997 Brugger 604/122
D387,157 S * 12/1997 Cotter D24/118
6,387,086 B2 * 5/2002 Mathias et al. 604/6.15
6,589,197 B1 * 7/2003 Doi et al. 604/6.1
6,742,760 B2 * 6/2004 Blickhan et al. 251/11
7,264,608 B2 * 9/2007 Bischof et al. 604/403

(Continued)

Primary Examiner—Ian Simmons

Assistant Examiner—Wan Laymon

(74) *Attorney, Agent, or Firm*—Cermak Nakajima LLP;
Tomoko Nakajima

(57) **CLAIM**

The ornamental design for a container for blood collection, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container for blood component separation and preservation showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and

FIG. 7 is a bottom plan view thereof.

FIG. 8 is an enlarged fragmentary perspective view thereof, taken along the lines 8-8' shown in FIG. 1;



FIG. 9 is an enlarged fragmentary front elevational view thereof, taken along the lines 9-9' shown in FIG. 2;

FIG. 10 is an enlarged fragmentary top plan view thereof, taken along the lines 10-10' shown in FIG. 6; and,

FIG. 11 is an enlarged fragmentary bottom plan view thereof, taken along the lines 11-11' shown in FIG. 7.

The broken lines showing portions of a container for blood collection are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 11 Drawing Sheets



US D624,175 S

Page 2

U.S. PATENT DOCUMENTS				2008/0241001	A1 *	10/2008	Haywood et al.	422/102
7,309,468	B2 *	12/2007	Stevens et al.	422/102	2009/0187153	A1 *	7/2009	West et al.
2005/0215975	A1 *	9/2005	Mathias et al.	604/403				604/263
2006/0243676	A1 *	11/2006	Swift et al.	210/782	* cited by examiner			

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11

