



US00D624246S

(12) **United States Design Patent**  
**Houtz**

(10) **Patent No.:** **US D624,246 S**

(45) **Date of Patent:** **\*\* Sep. 21, 2010**

(54) **COMPRESSION HOSIERY COMFORT PAD**

6,545,193 B1 \* 4/2003 Morgenstern ..... 602/41  
D569,079 S \* 5/2008 Whong ..... D2/502

(76) Inventor: **Nancy J. Houtz**, 4695 Hahn's Peak,  
#102, Loveland, CO (US) 80538

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Raphael Barkai  
*Assistant Examiner*—Randall H Gholson  
(74) *Attorney, Agent, or Firm*—Ancel W. Lewis, Jr.

(21) Appl. No.: **29/328,982**

(57) **CLAIM**

(22) Filed: **Dec. 5, 2008**

The ornamental design for a compression hosiery comfort pad, as shown and described.

(51) **LOC (9) Cl.** ..... **29-02**

(52) **U.S. Cl.** ..... **D29/120.1**

(58) **Field of Classification Search** ..... D2/500–508,  
D2/610–624, 171, 200.1, 980, 983, 987, 992,  
D2/993; D29/120.1, 121.1; 2/16, 17, 59,  
2/67; D24/190; D21/804; D11/1–25, 32,  
D11/93, 94; 602/19; 59/78, 79.2; 63/1.11,  
63/3, 3.1, 3.2, 5.1, 7–11; D10/32

See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a top right side perspective view of a compression hosiery comfort pad on a leg of a user showing my new design typically with the elastic band at the top mounted on the upper thigh or below the knee with the broken line disclosure of the compression hosiery fitting on top of the compression hosiery comfort pad of a user leg and the compression hosiery on the leg being for illustration purposes only and forming no part of the claimed design;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,442,270 A \* 5/1969 Steinman ..... 602/79
- 3,480,012 A \* 11/1969 Smithers et al. .... 602/60
- 4,654,897 A \* 4/1987 Rosaen ..... 2/207
- 4,991,234 A \* 2/1991 Greenberg ..... 2/170
- 5,036,838 A \* 8/1991 Sherman ..... 602/44
- D379,257 S \* 5/1997 Leinoff ..... D2/894
- 5,651,143 A \* 7/1997 Zehrunge ..... 2/338
- D389,270 S \* 1/1998 Malmsten ..... D26/128
- D404,490 S \* 1/1999 Tripolsky ..... D24/190
- D453,366 S \* 2/2002 French ..... D21/774
- 6,427,697 B1 \* 8/2002 Pearcey ..... 128/876

FIG. 2 is a top plan view of the outer side of a compression hosiery comfort pad shown in FIG. 1 in a flat condition;

FIG. 3 is a bottom plan view of the inner side of a compression hosiery comfort pad shown in FIG. 1 in a flat condition;


FIG. 4 is a side elevation view of FIG. 2, the opposite side view being identical;

FIG. 5 is an end view of FIG. 2 as viewed from the top end shown in FIG. 2; and,

FIG. 6 is an end view of FIG. 2 opposite the end view of FIG. 5.

The broken lines shown in the drawings are for illustration only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 6



FIG. 4