



US00D624284S

(12) **United States Design Patent**
Creel

(10) **Patent No.:** **US D624,284 S**
(45) **Date of Patent:** **** Sep. 28, 2010**

(54) **ADJUSTABLE HEAD WEAR**

(76) **Inventor:** **William W. Creel**, 875 Taylor Ave., Apt.
3B, Bronx, NY (US) 10473

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/356,969**

(22) **Filed:** **Mar. 4, 2010**

(51) **LOC (9) Cl.** **02-03**

(52) **U.S. Cl.** **D2/867; D2/880**

(58) **Field of Classification Search** D2/865,
D2/866, 867, 878, 880, 881, 885, 868; 2/68,
2/171, 172, 173.5, 174, 195.1, 200.1, 202,
2/204, 205, 207; 132/274

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D46,901 S *	2/1915	Guinzburg		D2/868
1,207,440 A *	12/1916	Raudnitz		2/195.1
D122,868 S *	10/1940	Grapek		D2/865
2,274,321 A	2/1942	Degnon		
D133,490 S	8/1942	Burns		
D135,906 S *	6/1943	Reichman		D2/865
D139,008 S	10/1944	Dannenberg		
2,666,925 A *	1/1954	Mayer		2/171
D171,903 S	4/1954	Litwin		
2,730,722 A *	1/1956	Colangelo		2/202
3,076,972 A	2/1963	Prophet		
3,480,970 A *	12/1969	Gettinger		2/207
3,555,565 A *	1/1971	Zimmon et al.		2/195.7
3,778,846 A *	12/1973	Norie		2/68
3,855,634 A *	12/1974	Gregg		2/172
4,378,606 A *	4/1983	Snowden		2/200.1
D348,835 S	7/1994	Cogliandro		
5,455,970 A *	10/1995	Vance et al.		2/171.04
D408,968 S	5/1999	Bardin		
D465,318 S	11/2002	Guerrero, Jr.		
D477,706 S	7/2003	Kobayashi		

D505,536 S	5/2005	Strong	
D513,661 S	1/2006	Handy	
D522,216 S	6/2006	Strong	
D543,013 S	5/2007	Robinson, III	
D547,030 S	7/2007	Marquardt	
D572,879 S	7/2008	Marquardt	
7,437,777 B2 *	10/2008	Marquardt	 2/202
D596,831 S	7/2009	Rowan	
D610,779 S *	3/2010	Rhodes	 D2/867

* cited by examiner

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

What is claimed is the ornamental design for adjustable head wear, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of adjustable head wear, illustrated with tie straps of the design in a tied configuration, showing the new design;

FIG. 2 is a left-side elevational view thereof;

FIG. 3 is a right-side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a front elevational view thereof, illustrated with the tie straps in an untied configuration;



FIG. 6 is a rear elevational view thereof, illustrated with the tie straps in the tied configuration;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines showing a person in FIGS. 1-6 are included for the purpose of illustrating the invention in use, and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8