



US00D624396S

(12) **United States Design Patent**  
**Yoshiguchi**

(10) **Patent No.:** **US D624,396 S**

(45) **Date of Patent:** **\*\* Sep. 28, 2010**

(54) **STRING END COVER**

(75) Inventor: **Manabu Yoshiguchi**, Kamakura (JP)

(73) Assignee: **Nifco Inc.**, Yokohama-Shi,  
Kanagawa-Ken (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/311,849**

(22) Filed: **Jul. 13, 2009**

(30) **Foreign Application Priority Data**

Jan. 16, 2009 (JP) ..... 2009-002223

(51) **LOC (9) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/383**

(58) **Field of Classification Search** ..... D8/383,  
D8/388, 333, 395; D11/212, 215; 24/115 R,  
24/115 G, 136 R

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D425,783 S *	5/2000	Ishida et al.	.....	D8/383
D497,540 S *	10/2004	Watabe et al.	.....	D8/383
D506,188 S *	6/2005	Ikeda	.....	D13/184
D552,460 S *	10/2007	Takahashi	.....	D8/383
D559,668 S *	1/2008	Yoshie et al.	.....	D8/383
D571,194 S *	6/2008	Mei	.....	D8/383
D575,192 S *	8/2008	Yoshiguchi	.....	D11/221
D578,932 S *	10/2008	Yoshiguchi	.....	D11/221

\* cited by examiner

*Primary Examiner*—Holly H Baynham

*Assistant Examiner*—Sheryl Lane

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a string end cover, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a string end cover showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a plan view thereof, a bottom view being symmetrical to the plan view;

FIG. 6 is a sectional view thereof taken along line 6—6 in FIG. 5;

FIG. 7 is a sectional view thereof taken along line 7—7 in FIG. 1;

FIG. 8 is a front view of a female member of the string end cover;

FIG. 9 is a rear view of the female member of the string end cover;

FIG. 10 is a right side view of the female member of the string end cover;

FIG. 11 is a left side view of the female member of the string end cover;

FIG. 12 is a plan view of the female member of the string end cover, a bottom view being symmetrical to the plan view;

FIG. 13 is a front view of a male member of the string end cover, a rear view being symmetrical to the front view;

FIG. 14 is a right side view of the male member of the string end cover;

FIG. 15 is a left side view of the male member of the string end cover;

FIG. 16 is a plan view of the male member of the string end cover; and,

FIG. 17 is a bottom view of the male member of the string end cover.

**1 Claim, 4 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11






Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17

