



US00D624667S

(12) **United States Design Patent**  
**Keel et al.**

(10) **Patent No.:** **US D624,667 S**  
(45) **Date of Patent:** **\*\* \*Sep. 28, 2010**

(54) **INTERCONNECTED CENTRIFUGALLY  
CAST, DUCTILE IRON UTILITY POLE  
MEMBERS**

(75) Inventors: **Michael C. Keel**, Birmingham, AL (US);  
**Joseph F. Carter**, Warsaw, OH (US);  
**Keith W. Mallett**, Newark, OH (US);  
**Steven G. Meisei**, Coshocton, OH (US)

(73) Assignee: **McWane Global**, Birmingham, AL (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,052**

(22) Filed: **Mar. 19, 2009**

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/126**

(58) **Field of Classification Search** ..... 174/45 R;  
52/2.21, 93.1, 223.4, 726.4, 831; D25/126  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

122,656 A	1/1872	Rogers	
232,360 A	9/1880	Milliken	
295,905 A *	4/1884	Brott .....	52/834
415,324 A	11/1889	Greene	
538,835 A	5/1895	Kneass	
1,329,295 A	1/1920	De Lavaud	
1,675,716 A	7/1928	Losey	
1,810,091 A	6/1931	Siegle	
2,066,419 A *	1/1937	Pfistershammer .....	52/843
3,456,712 A	7/1969	Schuh	
3,509,678 A *	5/1970	Dake .....	248/218.4
3,612,154 A	10/1971	Denyszyn et al.	
3,713,262 A	1/1973	Jatcko	
4,317,271 A	3/1982	Chakravarti	
4,405,398 A	9/1983	Rother et al.	
4,436,781 A	3/1984	Rother et al.	
4,448,610 A	5/1984	Bellocci	

D384,756 S *	10/1997	Wilmotte .....	D25/126
5,704,187 A	1/1998	Hosford et al.	
5,784,851 A	7/1998	Waugh	
D404,505 S *	1/1999	Welsch .....	D25/126
6,335,065 B1	1/2002	Steinlage et al.	
6,399,881 B2	6/2002	Edelstein	
6,467,233 B1	10/2002	Maliszewski et al.	
6,468,003 B2	10/2002	Merjan et al.	
6,932,143 B2	8/2005	Noble	
D541,956 S *	5/2007	Paharik et .....	D25/126
7,237,312 B2	7/2007	Enns	

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2121708 A 1/1984

(Continued)

*Primary Examiner*—Doris Clark  
(74) *Attorney, Agent, or Firm*—C. Brandon Browning;  
Maynard, Cooper & Gale, PC

(57) **CLAIM**

The ornamental design for interconnected centrifugally cast, ductile iron utility pole members, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of the present invention.  
FIG. 2 is an enlarged elevation view of the central area of FIG. 1.  
FIG. 3 is a front elevation view of a second embodiment of the present invention; and,  
FIG. 4 is an enlarged elevation view of the central area of FIG. 2.

**1 Claim, 2 Drawing Sheets**



# US D624,667 S

Page 2

---

## U.S. PATENT DOCUMENTS

7,343,718 B2 3/2008 Foust et al.  
2004/0211148 A1 10/2004 Foust et al.  
2006/0056934 A1 3/2006 Demarest et al.  
2007/0245680 A1 10/2007 Cairo  
2008/0023172 A1 1/2008 Waugh  
2008/0250752 A1 10/2008 Bowman et al.  
2009/0000227 A1 1/2009 Jakubowski et al.

2009/0019816 A1 1/2009 Lockwood et al.

## FOREIGN PATENT DOCUMENTS

JP 61-14060 1/1961  
JP 2002283025 A 10/2002  
JP 2004058094 A 2/2004  
WO 2008011287 A2 1/2008

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4