



US00D624759S

(12) **United States Design Patent**
Jacobson

(10) **Patent No.:** **US D624,759 S**
(45) **Date of Patent:** **** Oct. 5, 2010**

- (54) **HANGER RETAINING DEVICE**
- (75) Inventor: **Kenneth E. Jacobson**, Owatonna, MN (US); **Dorothy Ann Jacobson**, legal representative, Owatonna, MN (US)
- (73) Assignee: **Wenger Corporation**, Owatonna, MN (US)

D414,967 S	10/1999	Richter	
6,223,915 B1	5/2001	Waner	
6,273,376 B1	8/2001	Montgomery	
D478,499 S *	8/2003	Winig et al. D8/367
D533,362 S *	12/2006	Giampavolo D6/328
D535,111 S *	1/2007	Giampavolo D6/328
D536,539 S *	2/2007	Chen D6/328
D581,682 S *	12/2008	Madlinger D6/328
2009/0139945 A1	6/2009	Jacobson	

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/325,779**

JP 9038387 A 2/1997

(22) Filed: **Oct. 6, 2008**

* cited by examiner

Related U.S. Application Data

(63) Continuation of application No. 12/246,108, filed on Oct. 6, 2008.

Primary Examiner—Stella M Reid

Assistant Examiner—Shanda C Hill

(74) *Attorney, Agent, or Firm*—Patterson, Thuente, Skaar & Christensen, P.A.

- (51) **LOC (9) Cl.** **06-08**
- (52) **U.S. Cl.** **D6/328; D6/323**
- (58) **Field of Classification Search** D6/315, D6/317, 323, 326, 328; 211/1.13, 1.85, 3, 211/86.01, 113; 223/85-98; D8/300, 367
See application file for complete search history.

(57) **CLAIM**

I claim the ornamental design for a hanger retaining device, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

2,685,962 A	8/1954	Druth	
2,868,390 A	1/1959	McCrone	
3,021,958 A	2/1962	Winkler	
4,296,959 A	10/1981	Helbig	
D264,904 S	6/1982	Helbig	
4,415,093 A	11/1983	Livingston	
4,824,156 A	4/1989	Greene	
5,139,298 A	8/1992	Dowell	
D383,910 S *	9/1997	Maxwell D6/328
5,868,369 A	2/1999	Montgomery	

FIG. 1 is a perspective view of a hanger retaining device, showing my new design;

FIG. 2 is a front view of the hanger retaining device of FIG. 1;

FIG. 3 is a rear view of the hanger retaining device of FIG. 1;

FIG. 4 is a side view of the hanger retaining device of FIG. 1;

FIG. 5 is a top view of the hanger retaining device of FIG. 1; and,

FIG. 6 is a bottom view of the hanger retaining device of FIG. 1.

1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

