



US00D625003S

(12) **United States Design Patent**
Stephens

(10) **Patent No.:** **US D625,003 S**
(45) **Date of Patent:** **** Oct. 5, 2010**

(54) **LUER CONNECTOR**
(75) Inventor: **John Stephens**, Perkiomenville, PA (US)
(73) Assignee: **Medical Components, Inc.**,
Harleysville, PA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/342,812**
(22) Filed: **Sep. 1, 2009**

6,719,727 B2 4/2004 Brimhall et al.
6,719,749 B1 4/2004 Schweikert et al.
D498,844 S 11/2004 Diamond et al.
D505,202 S 5/2005 Chesnin
6,969,381 B2 11/2005 Voorhees
6,971,390 B1 12/2005 Vasek et al.

(51) **LOC (9) Cl.** **24-02**
(52) **U.S. Cl.** **D24/129**
(58) **Field of Classification Search** D8/330-348;
D24/129-130, 112; 604/533, 905, 523, 535,
604/539, 249, 403; 264/150
See application file for complete search history.

(Continued)

Primary Examiner—T. Chase Nelson
Assistant Examiner—Eric L Goodman
(74) *Attorney, Agent, or Firm*—Anton P. Ness; Fox
Rothschild, LLP

(56) **References Cited**
U.S. PATENT DOCUMENTS

(57) **CLAIM**


The ornamental design for a luer connector, as shown and described.

4,170,993 A	10/1979	Alvarez	
4,230,109 A	10/1980	Geiss	
4,294,250 A	10/1981	Dennehey	
4,362,156 A	12/1982	Feller, Jr. et al.	
4,826,486 A	5/1989	Palsrok et al.	
D302,729 S	8/1989	Stephens et al.	
5,169,391 A	12/1992	Vogel	
5,184,742 A	2/1993	DeCaprio et al.	
5,370,624 A	12/1994	Edwards et al.	
5,501,672 A	3/1996	Firth et al.	
5,562,630 A	10/1996	Nichols	
5,620,427 A	4/1997	Werschmidt et al.	
5,718,678 A	2/1998	Fleming, III	
D395,501 S	6/1998	Erskine et al.	
5,807,311 A	9/1998	Palestrant	
5,947,953 A	9/1999	Ash et al.	
RE36,885 E	9/2000	Blecher et al.	
D433,503 S	11/2000	Powers et al.	
6,159,184 A	12/2000	Perez et al.	
6,375,231 B1	4/2002	Picha et al.	
D459,802 S	7/2002	Cindrich	
D482,447 S *	11/2003	Harding et al. D24/129
6,689,096 B1	2/2004	Loubens et al.	
6,695,832 B2	2/2004	Schon et al.	

DESCRIPTION

FIG. 1 is an isometric view of a luer connector according to the present invention.
FIG. 2 is a right side view of the luer connector shown in FIG. 1; the left side view is a mirror image thereof.
FIG. 3 is a top view of the luer connector shown in FIG. 1; the bottom view is a mirror image thereof.
FIG. 4 is a distal end view of the luer connector shown in FIG. 1; and,
FIG. 5 is a proximal end view of the luer connector shown in FIG. 1.
The broken line showing an extension at the distal ends in FIGS. 1, 2, 3 and 4, and the broken line circles showing in FIG. 5, are included for the purpose of illustrating portions of the article and form no part of the claimed design.

1 Claim, 1 Drawing Sheet



US D625,003 S

Page 2

U.S. PATENT DOCUMENTS							
			2007/0225684	A1	9/2007	Wentling et al.	
D544,600	S	6/2007	Wentling				
D546,446	S	7/2007	Chesnin				
D557,414	S	12/2007	Wentling				
7,344,527	B2	3/2008	Schweikert et al.				
D590,499	S	4/2009	Chesnin				
2004/0249349	A1	12/2004	Wentling				
2005/0120523	A1*	6/2005	Schweikert	24/552		
2005/0209583	A1	9/2005	Powers et al.				
2007/0088324	A1*	4/2007	Fangrow	604/533		
2007/0129705	A1*	6/2007	Trombley et al.	604/523		
			2007/0233042	A1*	10/2007	Moehle et al. 604/523
			2007/0244447	A1*	10/2007	Capitaine et al. 604/256
			2007/0260221	A1	11/2007	Chesnin	
			2008/0086087	A1*	4/2008	Spohn et al. 604/151
			2008/0097405	A1*	4/2008	Miller 604/533
			2008/0140055	A1*	6/2008	Shirley 604/535
			2008/0193211	A1*	8/2008	Burton et al. 403/332
			2008/0287920	A1*	11/2008	Fangrow et al. 604/535
			2009/0105666	A1*	4/2009	Peppel 604/249
			2009/0157044	A1*	6/2009	Liyanagama et al. 604/512

* cited by examiner




FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4