



(12) **United States Design Patent**
Kawamura et al.

(10) **Patent No.:** **US D625,013 S**
(45) **Date of Patent:** **** Oct. 5, 2010**

(54) **AUTO EXTERNAL DEFIBRILLATOR**

(75) Inventors: **Shuko Kawamura**, Tokyo (JP);
Takahiro Fujito, Tokyo (JP)

(73) Assignee: **Nihon Kohden Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/313,606**

(22) Filed: **Jan. 26, 2009**

(30) **Foreign Application Priority Data**

Jul. 30, 2008 (JP) 2008-019657
Jul. 30, 2008 (JP) 2008-019658

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/167**

(58) **Field of Classification Search** D24/165–168,
D24/186; D10/98; 600/301, 481, 483, 485,
600/490, 493–495, 500, 501, 503; 128/900;
607/4–7, 10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D402,758 S * 12/1998 Barkley et al. D24/167
D447,241 S * 8/2001 Deck D24/167
D471,279 S * 3/2003 Locke et al. D24/167
D484,981 S * 1/2004 Faller et al. D24/167
D499,183 S * 11/2004 Vaisnys et al. D24/167
2006/0111748 A1* 5/2006 Bucher 607/5

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Osha Liang LLP

(57) **CLAIM**

The ornamental design for an auto external defibrillator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of an auto external defibrillator showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a left side view thereof;

FIG. 8 is a reference perspective view thereof containing an electrode component and with the lid in an open condition. The electrode component shown in broken lines in FIG. 8 has been removed from the preceding Figure views for clarity of the illustration;

FIG. 9 is a perspective view of the top, front and right side of a second embodiment of an auto external defibrillator;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a bottom view thereof;

FIG. 14 is a right side view thereof;

FIG. 15 is a left side view thereof; and,

FIG. 16 is a reference perspective view thereof containing an electrode component and with the lid in an open condition. The electrode component shown in broken lines in FIG. 16 has been removed from the preceding Figure views for clarity of the illustration.

The broken lines in the drawing views are included for the purpose of illustrating portions of the auto external defibrillator that form no part of the claimed invention.

1 Claim, 12 Drawing Sheets





FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16

