



US00D625116S

(12) **United States Design Patent**
Willner

(10) **Patent No.:** **US D625,116 S**
(45) **Date of Patent:** **** Oct. 12, 2010**

(54) **FOOT STOOL DEVICE FOR HUMANS TO
REDUCE STRAINING DURING EXPULSION
OF FECAL MATTER**

(76) Inventor: **Jeffrey S. Willner**, 3615 Oxford Ave.,
Apt. 6, Bronx, NY (US) 10463

(**) Term: **14 Years**

(21) Appl. No.: **29/312,882**

(22) Filed: **Nov. 19, 2008**

(51) **LOC (9) Cl.** **06-01**

(52) **U.S. Cl.** **D6/349**

(58) **Field of Classification Search** D6/334,
D6/336, 338, 349, 352, 363, 374, 375, 380,
D6/381, 491, 492, 500-502, 480, 488; 297/175,
297/411.2, 445.1, 446.1, 446.2, 447.1, 447.2,
297/448.1, 451.2, 452.11, 452.29, 461, 462;
5/12.1, 12.2; D7/605

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,083,605	A *	6/1937	Jertberg	4/254
2,256,994	A	9/1941	Warshaw		
D151,983	S *	12/1948	Guertin	D6/336
3,570,699	A *	3/1971	Kobayashi	220/4.28
4,046,348	A *	9/1977	Goodwin	248/423
4,466,140	A *	8/1984	Sakamoto	4/254
D365,729	S *	1/1996	Wold	D7/610
D373,477	S *	9/1996	Lewis	D6/349
5,553,334	A	9/1996	Hillman		
5,809,583	A	9/1998	Pucciani		
D424,822	S *	5/2000	Lewis	D6/349
6,148,448	A	11/2000	Urso		
6,256,800	B1	7/2001	Isbit		
D461,061	S *	8/2002	Kent	D6/336

D465,663	S *	11/2002	Ramirez	D6/349
6,631,524	B1	10/2003	Dixon		
6,681,410	B1	1/2004	Husain		
D557,910	S *	12/2007	Saunders et al.	D6/350
D580,666	S *	11/2008	Sempe	D6/349
7,475,442	B1 *	1/2009	Dierking et al.	5/655
D603,186	S *	11/2009	Abe	D6/449
D610,818	S *	3/2010	Crane	D6/349
2003/0019020	A1	1/2003	Reydel		
2004/0177433	A1	9/2004	Reydel		

* cited by examiner

Primary Examiner—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Richard L. Miller

(57) **CLAIM**

The ornamental design for: foot stool device for humans to reduce straining during expulsion of fecal matter, as shown and described.

DESCRIPTION

FIG. 1 is a three quarter top-front-left side perspective view of a foot stool device for humans to reduce straining during expulsion of fecal matter showing my new design.

FIG. 2 is a three quarter bottom-rear right side perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;


FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof; and,

FIG. 8 is a rear view thereof.

It is understood that the broken-away portions shown in the drawings represent indeterminate length/width/height.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 8




FIG. 5




FIG. 6




FIG. 3




FIG. 7




FIG. 4