

US00D625187S

(12) **United States Design Patent**  
**McCay et al.**

(10) **Patent No.:** **US D625,187 S**  
(45) **Date of Patent:** **\*\* Oct. 12, 2010**

(54) **TRIGGER SPRAY**

(75) Inventors: **James Edward McCay**, Fairfield, CT (US); **James Troy Starkey**, North Haven, CT (US); **Cinzia Galia**, Alessandria (IT); **Gerald M. Syrek**, Washingtonville, NY (US)

(73) Assignee: **Reckitt Benckiser Inc.**, Parsippany, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/340,457**

(22) Filed: **Jul. 20, 2009**

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/448**

(58) **Field of Classification Search** ..... D9/456,  
D9/455, 448, 447, 445, 438, 434, 763, 772;  
D7/605, 387, 213; D3/211, 207; D23/226;  
40/307; 239/333, 331; 222/635, 631, 566,  
222/321.9, 321.8, 321.7, 320, 251; 220/915,  
220/269, 268, 258.5

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D400,102 S \* 10/1998 Tada ..... D9/448  
D409,487 S \* 5/1999 Wadsworth et al. .... D9/448  
D409,918 S \* 5/1999 Wadsworth et al. .... D9/448  
6,332,562 B1 \* 12/2001 Sweeton ..... 222/383.1  
6,364,171 B1 \* 4/2002 Chalupsky et al. .... 222/321.8  
D494,866 S \* 8/2004 Guala ..... D9/448  
D521,864 S \* 5/2006 Cartoni ..... D9/448

D582,768 S \* 12/2008 Cantoni et al. .... D9/448  
D582,769 S \* 12/2008 Turchi ..... D9/448  
D582,770 S \* 12/2008 Turchi ..... D9/448  
D582,771 S \* 12/2008 Cantoni ..... D9/448  
D583,233 S \* 12/2008 Cantoni et al. .... D9/448  
D587,574 S \* 3/2009 Cantoni et al. .... D9/448  
D596,938 S \* 7/2009 Broadbent ..... D9/448  
D601,897 S \* 10/2009 Contiero ..... D9/448  
2008/0272152 A1 \* 11/2008 Alluigi ..... 222/321.8

\* cited by examiner

*Primary Examiner*—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Norris, McLaughlin & Marcus

(57) **CLAIM**

The ornamental design for a trigger spray, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the front and left side of the trigger spray;

FIG. 2 is an elevation view of the front of the trigger spray;

FIG. 3 is an elevation view of the rear of the trigger spray;

FIG. 4 is an elevation view of the right side of the trigger spray;


FIG. 5 is an elevation view of the left side of the trigger spray;

FIG. 6 is a top plan view of the trigger spray; and,

FIG. 7 is a bottom plan view of the trigger spray.


The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






**FIG. 1**






**FIG. 2**




**FIG. 3**






**FIG. 4**




**FIG. 5**






**FIG. 6**



**FIG. 7**





UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 625,187 S  
APPLICATION NO. : 29/340457  
DATED : October 12, 2010  
INVENTOR(S) : McCay et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Under the heading “(73) Assignee”:


“Reckitt Bencklser Inc.”

Should read:

--Reckitt Benckiser Inc.--

Signed and Sealed this

Thirtieth Day of November, 2010

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and a stylized 'K'.

David J. Kappos  
*Director of the United States Patent and Trademark Office*