

US00D625274S

(12) **United States Design Patent**  
**Felegy, Jr. et al.**

(10) **Patent No.:** **US D625,274 S**  
(45) **Date of Patent:** **\*\* Oct. 12, 2010**

(54) **TABLETOP REMOTE CONTROL KEYPAD**

(75) Inventors: **Edward M. Felegy, Jr.**, Macungie, PA (US); **Gregory M. Snyder**, Germansville, PA (US); **David William Petrillo**, Bethlehem, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **Joel S. Spira**, Coopersburg, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/345,916**

(22) Filed: **Oct. 23, 2009**

(51) **LOC (9) Cl.** ..... **14-03**  
(52) **U.S. Cl.** ..... **D13/168**  
(58) **Field of Classification Search** ..... D13/168;  
D10/104, 106; D14/218, 247; 340/825.22,  
340/825.24, 825.25, 825.31, 825.36, 825.69,  
340/825.72; 341/76; 455/352  
See application file for complete search history.

(56) **References Cited**



**U.S. PATENT DOCUMENTS**

|            |         |                   |
|------------|---------|-------------------|
| D397,996 S | 9/1998  | Smith             |
| D422,567 S | 4/2000  | Mayo et al.       |
| D453,742 S | 2/2002  | Butler et al.     |
| D456,783 S | 5/2002  | Mayo et al.       |
| D461,782 S | 8/2002  | Butler et al.     |
| D462,332 S | 9/2002  | Mayo et al.       |
| D464,635 S | 10/2002 | Oyama, Jr. et al. |
| D465,460 S | 11/2002 | Mayo et al.       |
| D465,770 S | 11/2002 | Bennett et al.    |
| D466,090 S | 11/2002 | Bennett et al.    |
| D466,091 S | 11/2002 | Bennett et al.    |
| D466,484 S | 12/2002 | Bennett et al.    |
| D475,024 S | 5/2003  | Bennett et al.    |
| D475,025 S | 5/2003  | Bennett et al.    |
| D485,534 S | 1/2004  | Mayo et al.       |
| D490,780 S | 6/2004  | Mayo et al.       |

|            |         |                    |
|------------|---------|--------------------|
| D496,335 S | 9/2004  | Spira et al.       |
| D509,805 S | 9/2005  | Spira              |
| D510,073 S | 9/2005  | Jacoby et al.      |
| D546,280 S | 7/2007  | Marchetto et al.   |
| D553,123 S | 10/2007 | Solland            |
| D554,107 S | 10/2007 | Calco et al.       |
| D557,259 S | 12/2007 | Hirsch             |
| D592,606 S | 5/2009  | Felegy, Jr. et al. |
| D592,607 S | 5/2009  | Felegy, Jr. et al. |
| D592,608 S | 5/2009  | Felegy, Jr. et al. |
| D592,609 S | 5/2009  | Felegy, Jr. et al. |
| D596,143 S | 7/2009  | Felegy, Jr. et al. |
| D602,446 S | 10/2009 | Felegy, Jr. et al. |
| D604,702 S | 11/2009 | Felegy, Jr. et al. |
| D606,030 S | 12/2009 | Felegy, Jr. et al. |
| D611,431 S | 3/2010  | Snyder et al.      |
| D611,915 S | 3/2010  | Felegy, Jr. et al. |
| D614,146 S | 4/2010  | Felegy, Jr. et al. |
| D614,147 S | 4/2010  | Snyder et al.      |

**OTHER PUBLICATIONS**

Crestron Electronics, Inc., Integration: Solutions for Dealers, Consultants, and Programmers, 2005, pp. 1, 4, 9.  
 Crestron Electronics, Inc., Cameo Keypads Specification Sheet, Jul. 2006, 2 pages.  
 Crestron Electronics, Inc., Cameo Keypads Operations and Installation Guide, Feb. 2006, pp. front cover, i, 1-8, rear cover.  
 Lutron Electronics Co., Inc., seeTouch Ordering Guide, Jan. 2002, 4 pages.  
 Dynalite Intelligent Light Pty Ltd, Light News, Aug. 2005, 8 pages, issue 2.  
 Leviton Manufacturing Co., Inc., Vizia-RF 4-Scene Controller with IR-Remote Capability Product Specifications Sheet, 2006, 4 pages.  
 Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Specification Submittal Sheet, Jan. 2002, 2 pages.  
 Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Installation Instruction Sheet, Nov. 2001, 2 pages.  
 Lutron Electronics Co., Inc., Aurora Wireless Lighting Control Brochure, Nov. 2006, 2 pages.  
 Lutron Electronics Co., Inc., Maestro Wireless Remote Lighting Control Brochure, Sep. 2007, 2 pages.  
 U.S. Appl. No. 29/345,905, filed Oct. 23, 2009, Felegy, Jr. et al.  
 U.S. Appl. No. 29/345,922, filed Oct. 23, 2009, Jacoby et al.  
 U.S. Appl. No. 29/345,927, filed Oct. 23, 2009, Jacoby et al.  
 U.S. Appl. No. 29/356,282, filed Feb. 23, 2010, Clymer et al.  
 U.S. Appl. No. 29/356,287, filed Feb. 23, 2010, Clymer et al.  
 U.S. Appl. No. 29/356,291, filed Feb. 23, 2010, Clymer et al.  
 U.S. Appl. No. 29/356,293, filed Feb. 23, 2010, Clymer et al.



*Primary Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a tabletop remote control keypad, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tabletop remote control keypad according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a tabletop remote control keypad according to a second embodiment of our new design.

FIG. 8 is a front view thereof.

FIG. 9 is a bottom view thereof, the left side, right side, and top views, respectively, of the second embodiment being identical to the left side, right side, and top views of the first embodiment.

FIG. 10 is a perspective view of a tabletop remote control keypad according to a third embodiment of our new design.

FIG. 11 is a front view thereof.

FIG. 12 is a left side view thereof.

FIG. 13 is a right side view thereof, the top and bottom views, respectively, of the third embodiment being identical to the top and bottom views of the first embodiment.

FIG. 14 is a perspective view of a tabletop remote control keypad according to a fourth embodiment of our new design.

FIG. 15 is a front view thereof.

FIG. 16 is a bottom view thereof, the left side, right side, and top views, respectively, of the fourth embodiment being identical to the left side, right side, and top views of the third embodiment.

FIG. 17 is a perspective view of a tabletop remote control keypad according to a fifth embodiment of our new design.

FIG. 18 is a front view thereof.

FIG. 19 is a left side view thereof.

FIG. 20 is a right side view thereof, the top and bottom views, respectively, of the fifth embodiment being identical to the top and bottom views of the first embodiment.

FIG. 21 is a perspective view of a tabletop remote control keypad according to a sixth embodiment of our new design.

FIG. 22 is a front view thereof.

FIG. 23 is a bottom view thereof, the left side, right side, and top views, respectively, of the sixth embodiment being identical to the left side, right side, and top views of the fifth embodiment.

FIG. 24 is a perspective view of a tabletop remote control keypad according to a seventh embodiment of our new design.

FIG. 25 is a front view thereof.

FIG. 26 is a left side view thereof.

FIG. 27 is a right side view thereof.

FIG. 28 is a top view thereof.

FIG. 29 is a bottom view thereof.

FIG. 30 is a perspective view of a tabletop remote control keypad according to an eighth embodiment of our new design.

FIG. 31 is a front view thereof.

FIG. 32 is a bottom view thereof, the left side, right side, and top views, respectively, of the eighth embodiment being identical to the left side, right side, and top views of the seventh embodiment.

FIG. 33 is a perspective view of a tabletop remote control keypad according to a ninth embodiment of our new design.

FIG. 34 is a front view thereof.

FIG. 35 is a left side view thereof.

FIG. 36 is a right side view thereof.

FIG. 37 is a top view thereof.

FIG. 38 is a bottom view thereof.

FIG. 39 is a perspective view of a tabletop remote control keypad according to a tenth embodiment of our new design.

FIG. 40 is a front view thereof.

FIG. 41 is a bottom view thereof, the left side, right side, and top views, respectively, of the tenth embodiment being identical to the left side, right side, and top views of the ninth embodiment.

FIG. 42 is a perspective view of a tabletop remote control keypad according to an eleventh embodiment of our new design.

FIG. 43 is a front view thereof.

FIG. 44 is a left side view thereof.

FIG. 45 is a right side view thereof, the top and bottom views, respectively, of the eleventh embodiment being identical to the top and bottom views of the ninth embodiment.

FIG. 46 is a perspective view of a tabletop remote control keypad according to a twelfth embodiment of our new design.

FIG. 47 is a front view thereof; and,

FIG. 48 is a bottom view thereof, the left side, right side, and top views, respectively, of the twelfth embodiment being identical to the left side, right side, and top views of the eleventh embodiment.

The rear views form no part of the design and are omitted.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14






Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20






Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25






Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32






Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41






Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48