



US00D625377S

(12) **United States Design Patent**  
**Kauffman**

(10) **Patent No.:** **US D625,377 S**

(45) **Date of Patent:** **\*\* Oct. 12, 2010**

(54) **COMBINATION BOW SIGHT AND RANGE FINDER**

(76) **Inventor:** **Nathan C. Kauffman**, 16393 County Road 18, Goshen, IN (US) 46528-8686

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/329,129**

(22) **Filed:** **Dec. 9, 2008**

(51) **LOC (9) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/107**

(58) **Field of Classification Search** ..... D22/100,  
D22/107, 199; 33/265; 42/86-88, 136-139,  
42/145

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,178,693	A	12/1979	Smith	
4,606,629	A	8/1986	Hines et al.	
5,103,568	A *	4/1992	Canoy .....	33/265
5,406,712	A *	4/1995	Slates .....	33/265
5,419,051	A *	5/1995	Barngrover .....	33/265
5,560,113	A *	10/1996	Simo et al. ....	33/265
D378,846	S *	4/1997	Sodaro .....	D22/107
D408,491	S *	4/1999	Savage .....	D22/107
6,000,141	A *	12/1999	Afshari .....	33/265
6,026,799	A *	2/2000	Wiseby et al. ....	124/87
6,418,633	B1 *	7/2002	Rager .....	33/265
6,443,142	B1 *	9/2002	Wiseby et al. ....	124/87
6,477,778	B1 *	11/2002	Lorocco .....	33/265
D487,789	S *	3/2004	Rager .....	D22/107
D489,427	S *	5/2004	Rager .....	D22/107
6,796,039	B2	9/2004	Walbrink	
D505,477	S *	5/2005	Rager .....	D22/107

D543,603	S *	5/2007	Khoshnood .....	D22/107
2002/0042999	A1 *	4/2002	Lorocco .....	33/265
2003/0110647	A1 *	6/2003	Henry .....	33/265
2003/0110648	A1 *	6/2003	Springer .....	33/265

\* cited by examiner

*Primary Examiner*—T. Chase Nelson  
*Assistant Examiner*—Michael A Pratt  
(74) *Attorney, Agent, or Firm*—Crossley Patent Law; Mark A Crossley

(57) **CLAIM**

The ornamental design for a combination bow sight and range finder, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevation view of a combination bow sight and range finder showing my new design;  
FIG. 2 is a rear elevation view thereof;  
FIG. 3 is a right elevation view thereof;  
FIG. 4 is a left elevation view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is an isometric view thereof.

The broken line showing of portions of the combination bow sight and range finder in FIGS. 1 and 7 forms no part of the claimed design.

The activation switch cord portion of the design shown in FIGS. 1 through 4 and 7 is shown broken away in order to indicate that a specific length of this portion forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7