



US00D625460S

(12) **United States Design Patent**
Boissevain

(10) **Patent No.:** **US D625,460 S**
(45) **Date of Patent:** **** Oct. 12, 2010**

(54) **LUMINAIRE FACE PLATE**

(75) Inventor: **Chris Boissevain**, Wimberley, TX (US)

(73) Assignee: **Koninklijke Philips Electronics N.V.**,
Eindhoven (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/337,419**

(22) Filed: **May 21, 2009**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/124,
D26/123, 129, 130, 131, 120, 113, 152, 138,
D26/72, 77, 81, 83, 139, 85, 71, 87, 26, 118,
D26/125, 73, 9, 134, 84, 127, 63, 50, 119,
D26/60, 67, 128, 88, 86, 141, 142, 145, 153,
D26/154, 155, 76, 78, 122; 428/26; 362/147,
362/351, 365, 350, 348, 335, 364, 235, 249.02,
362/294, 345, 366, 249.1, 25, 240, 376, 221,
362/223, 325, 342; D12/163, 193; D11/125,
D11/121, 49, 117, 184; D1/106, 107; D23/366;
D6/332; D25/17, 18, 25, 58; 52/80.1, 80.2,
52/79.7, 311.3, 81.4; D21/837

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,708,714 A * 4/1929 Adamaitis 362/322
D79,979 S * 11/1929 Ohm D26/128
1,753,981 A * 4/1930 Beardsley 362/446
D111,540 S * 9/1938 Guyer D26/102
D161,830 S * 2/1951 Grossman D26/128
D162,345 S * 3/1951 Roney D23/366
D170,188 S * 8/1953 Flood, Jr. D26/85
D183,152 S * 7/1958 Wellhofer D10/118
2,961,802 A * 11/1960 Mongan et al. 52/81.4
D190,671 S * 6/1961 Rambusch D26/85
3,038,278 A * 6/1962 Hauer 52/311.3
3,042,742 A * 7/1962 Foster 174/69
3,178,569 A * 4/1965 Martin 362/296.05
3,533,202 A * 10/1970 Gellert 52/80.1

D222,555 S * 11/1971 Magistretti D26/108
D223,546 S * 5/1972 Gandini D26/108
4,306,391 A * 12/1981 Crosby 52/79.4
4,388,785 A * 6/1983 Queffelec et al. 52/222
D269,709 S * 7/1983 Thual D25/154
D285,489 S * 9/1986 Russell D26/86

(Continued)

Primary Examiner—Cathron C Brooks
Assistant Examiner—Kevin K Rudzinski

(57) **CLAIM**

The ornamental design for a luminaire face plate, as shown and described.

DESCRIPTION

FIG. 1 is a left front top perspective view of the luminaire face plate of the present invention;

FIG. 2 is a front bottom perspective view of the luminaire face plate of FIG. 1;

FIG. 3 is a right top rear perspective view of the luminaire face plate of FIG. 1;


FIG. 4 is a front view of the luminaire face plate of FIG. 1;

FIG. 5 is a left side view of the luminaire face plate of FIG. 1, the right side view being a mirror image thereof; and,

FIG. 6 is a top view of the luminaire face plate of FIG. 1, the bottom view being a mirror image thereof.

The broken lines showing environmental structure are for illustrative purposes only and form no part of the claimed design. The rear portions of the luminaire face plate not shown in the drawings form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

D291,604	S	*	8/1987	Watson		D26/68	
D294,648	S	*	3/1988	Platner		D26/86	
D294,737	S	*	3/1988	Platner		D26/86	
D294,977	S	*	3/1988	Platner		D26/86	
4,761,052	A	*	8/1988	Buekers et al.		385/135	
4,808,234	A	*	2/1989	McKay et al.		134/21	
D323,906	S	*	2/1992	Miranda et al.		D26/85	
D339,203	S	*	9/1993	Namenye et al.		D26/85	
D339,654	S	*	9/1993	Chan		D26/131	
5,291,702	A	*	3/1994	Hooper		52/80.1	
D351,040	S	*	9/1994	Lin		D26/108	
D355,497	S	*	2/1995	Ancona et al.		D26/26	
D364,242	S	*	11/1995	Fiorato		D26/85	
D379,549	S	*	5/1997	Vargas, Jr.		D26/128	
D398,415	S	*	9/1998	Markee		D26/87	
D403,458	S	*	12/1998	Walz		D26/85	
D412,354	S	*	7/1999	Takos		D21/837	
D413,000	S	*	8/1999	Littman		D26/85	
D429,352	S	*	8/2000	Weinstein		D26/26	
D429,361	S	*	8/2000	Tihany		D26/87	
D429,362	S	*	8/2000	Landefeld		D26/87	
D439,364	S	*	3/2001	Avigor		D26/118	
D441,040	S	*	4/2001	Cho		D21/705	
D445,943	S	*	7/2001	Littman		D26/87	
D449,169	S	*	10/2001	Bennie et al.		D6/332	
D452,031	S	*	12/2001	Brunner et al.		D26/87	
D455,223	S	*	4/2002	Crosby		D26/85	
D469,910	S	*	2/2003	St-Pierre		D26/85	
D481,546	S	*	11/2003	Dowd		D6/332	
D486,600	S	*	2/2004	Coe		D26/85	
D492,344	S	*	6/2004	Hoshiya		D18/50	
D492,364	S	*	6/2004	Seelig et al.		D21/370	
D492,799	S	*	7/2004	Friedman		D26/26	
D497,170	S	*	10/2004	Egami et al.		D15/78	
D499,480	S	*	12/2004	Stauffer		D23/411	
D507,844	S	*	7/2005	Friedman		D26/118	
D512,175	S	*	11/2005	Santachiara		D26/108	
D517,186	S	*	3/2006	Grodsky et al.		D23/366	
D537,957	S	*	3/2007	Pilby		D25/58	
D544,990	S	*	6/2007	Guercio		D26/118	
D548,872	S	*	8/2007	Dubbeldam et al.		D26/85	
D550,390	S	*	9/2007	Chandler		D26/87	
D555,748	S	*	11/2007	Gyr et al.		D21/837	
D561,257	S	*	2/2008	Frey		D20/10	
D570,516	S	*	6/2008	Orellana		D26/71	
D571,409	S	*	6/2008	Frey		D20/10	
D579,599	S	*	10/2008	Salatto-Rose		D26/85	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6