



US00D625512S

(12) **United States Design Patent**  
**Blaney**

(10) **Patent No.:** **US D625,512 S**  
(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **DRINKING CUP TETHERING DEVICE**

(75) Inventor: **Michael Blaney**, Rotonda West, FL (US)

(73) Assignee: **Smart Ideas International, LLC**,  
Rotonda West, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/343,705**

(22) Filed: **Sep. 17, 2009**

**Related U.S. Application Data**

(63) Continuation of application No. 11/890,716, filed on  
Aug. 7, 2007, now abandoned.

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/215; D7/620**

(58) **Field of Classification Search** ..... D7/619.1-625;  
D3/215, 229; 24/115 G; 224/148.6, 250,  
224/269, 650; 248/311.2, 309.1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,457,195 A 12/1948 Bagnall, Jr.
- 3,543,976 A \* 12/1970 Ronald ..... 224/148.6
- 3,698,042 A 10/1972 Hirschhorn
- 4,096,977 A 6/1978 Barville et al.
- 4,564,957 A 1/1986 Scharf
- 4,964,419 A 10/1990 Karriker
- 5,147,079 A 9/1992 Heather
- 5,161,351 A 11/1992 Woodruff
- 5,397,039 A 3/1995 Parcelles
- 5,413,261 A 5/1995 Wu
- 5,427,291 A \* 6/1995 Smith ..... 224/250
- 5,464,183 A 11/1995 McConnell et al.
- D388,604 S \* 1/1998 Castro ..... D3/229
- 5,823,486 A 10/1998 Smith et al.
- 5,855,306 A \* 1/1999 Masak ..... 224/250

- D413,984 S 9/1999 Lindsey
- 5,992,715 A 11/1999 Habibi
- 6,029,870 A \* 2/2000 Giacona, III ..... 224/148.6
- 6,032,841 A 3/2000 Johnson

(Continued)

**FOREIGN PATENT DOCUMENTS**

EP 252403 A1 1/1988

*Primary Examiner*—Terry A Wallace

(74) *Attorney, Agent, or Firm*—Charles J. Prescott

(57) **CLAIM**

The ornamental design for a drinking cup tethering device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a drinking cup tethering device showing my new design.

FIG. 2 is a perspective view of FIG. 1 with one end thereof secured around a drinking cup shown in phantom.

FIG. 3 is a perspective top plan view of the slide connector of FIG. 1.

FIG. 4 is a right end elevation view of FIG. 3, the left end elevation view being identical thereto.

FIG. 5 is a right side elevation view of FIG. 3.


FIG. 6 is a left side elevation view of FIG. 3.

FIG. 7 is a top plan view of FIG. 3; and,

FIG. 8 is a bottom plan view of FIG. 3.

The cup is shown in broken lines for illustrative purposes only and forms no part of the claimed design. The slide connector is shown separately in FIGS. 3-8 for clarity of illustration.

**1 Claim, 4 Drawing Sheets**



# US D625,512 S

Page 2


---

## U.S. PATENT DOCUMENTS


6,036,066	A	3/2000	Giacona, III						
6,131,780	A *	10/2000	Becker .....	224/148.6	7,204,468	B2	4/2007	Kintzele et al.	
6,264,153	B1	7/2001	Ragner et al.		2001/0008075	A1	7/2001	Zen	
6,327,751	B1	12/2001	Ikeda		2002/0005418	A1	1/2002	Levesque et al.	
6,533,148	B1 *	3/2003	Dahl .....	224/148.6	2002/0046984	A1	4/2002	Cheatwood	
6,606,768	B2	8/2003	Henry		2005/0115996	A1	6/2005	Deike	
					2006/0163301	A1	7/2006	Rhodes et al.	
					2006/0289713	A1 *	12/2006	Kaplan et al. ....	248/311.2

\* cited by examiner



**FIG. 1**



**FIG. 2**




**FIG. 3**




**FIG. 4**







**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**