



US00D625582S

(12) **United States Design Patent**
Cleghorn et al.

(10) **Patent No.:** **US D625,582 S**

(45) **Date of Patent:** **** Oct. 19, 2010**

(54) **CORD CLAMP**

(75) Inventors: **Richard L. Cleghorn**, Tempe, AZ (US);
Jeffrey P. Baldwin, Phoenix, AZ (US)

(73) Assignee: **TayMac Corporation**, Gilbert, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/352,054**

(22) Filed: **Dec. 15, 2009**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 354, 356, 358, 360, 360.1,
D8/367, 372, 373, 382, 383, 394-396, 400;
D13/133, 139.4, 153, 155; 24/18, 20 W,
24/23 W, 115 R, 129 C, 130, 131 R, 197,
24/561; 52/220.7; 174/135, 153 G, 650,
174/656; 211/86.01, 87.01, 94.01; 242/400.1,
242/405.1, 405.2, 600, 603; 248/65, 74.1-74.4,
248/201, 214, 215, 229.26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,751,198	A *	3/1930	Franck	248/308
3,331,106	A *	7/1967	Ruskin	24/115 R
3,404,435	A *	10/1968	Freundlich	24/67.9
3,805,340	A *	4/1974	Bush et al.	24/543
D360,168	S *	7/1995	Kelleghan	D11/216
5,572,771	A *	11/1996	Kelleghan	24/170
5,729,872	A	3/1998	Ginocchio		
D423,214	S *	4/2000	Hawkins et al.	D3/294
D424,924	S *	5/2000	Ackerman	D8/396
6,101,684	A	8/2000	Ginocchio		
D453,417	S *	2/2002	Badillo et al.	D3/218

D456,511	S *	4/2002	Watson et al.	D24/143
6,443,958	B1 *	9/2002	Watson et al.	606/120
D547,023	S *	7/2007	Buerchner et al.	D34/27
D548,067	S *	8/2007	Komulainen	D8/382
D550,067	S *	9/2007	Hsiao	D8/356
D563,191	S *	3/2008	Henke et al.	D8/107
D577,423	S *	9/2008	Dole	D23/265
D579,871	S *	11/2008	Hsiao	D13/133
D584,604	S *	1/2009	Baldwin	D8/396
D585,640	S *	2/2009	Case	D3/218
D608,628	S *	1/2010	Knuuttila	D8/395
D608,629	S *	1/2010	Daugherty et al.	D8/395
7,699,198	B2 *	4/2010	Sirichai et al.	224/666
2005/0229472	A1 *	10/2005	Jost	43/25.2
2006/0196995	A1 *	9/2006	Mori et al.	248/74.2
2006/0248690	A1 *	11/2006	Yazzie, Sr.	24/197

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Booth Udall, PC

(57) **CLAIM**

The ornamental design for the cord clamp, as shown and described in the drawing figures.

DESCRIPTION

FIG. 1 is a top view of a cord clamp for holding cords;

FIG. 2 is a bottom view thereof;

FIG. 3 is a right side view thereof, the left side view is a mirror image of the right side view;



FIG. 4 is a rear view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a top perspective view thereof; and,

FIG. 7 is a bottom perspective view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7