



US00D625605S

(12) **United States Design Patent**  
**Bardet**

(10) **Patent No.:** **US D625,605 S**  
(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **CLOSING MEANS FOR PACKAGING**

(75) Inventor: **Philippe Bardet**, Gleize (FR)

(73) Assignee: **Obrist Closures Switzerland GmbH**,  
Reinach (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/359,476**

(22) Filed: **Apr. 12, 2010**

(30) **Foreign Application Priority Data**

Nov. 6, 2009 (EM) ..... 001177125-0001

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/449**

(58) **Field of Classification Search** ..... D9/529,  
D9/504, 503, 454, 453, 452, 450, 449, 447,  
D9/446, 443, 435; D7/900, 396.2, 392.1;  
222/556, 544, 494, 480, 472, 321.9, 212,  
222/185.1; 220/837, 835, 813, 810, 375,  
220/254.5; 215/305, 228, 226, 200  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D363,025 S \* 10/1995 Deflander et al. .... D9/449
- 6,367,670 B1 \* 4/2002 Warner et al. .... 222/556
- 6,478,184 B2 \* 11/2002 Berge et al. .... 220/831
- D472,144 S \* 3/2003 Hierzer et al. .... D9/435
- D492,597 S \* 7/2004 Norris et al. .... D9/442
- D530,202 S \* 10/2006 Herald et al. .... D9/449

- D530,611 S \* 10/2006 Nusbaum et al. .... D9/449
- D534,801 S \* 1/2007 McMurrey et al. .... D9/448
- D547,184 S \* 7/2007 Kim et al. .... D9/449
- D556,575 S \* 12/2007 Nusbaum et al. .... D9/449
- D581,790 S \* 12/2008 Hyde et al. .... D9/449
- D582,276 S \* 12/2008 Hyde et al. .... D9/453
- D592,057 S \* 5/2009 Guerin ..... D9/449
- 7,617,954 B2 \* 11/2009 Skillin ..... 222/556
- D610,454 S \* 2/2010 Lohrman et al. .... D9/449
- D612,729 S \* 3/2010 Lohrman et al. .... D9/449
- 2005/0035158 A1 \* 2/2005 Benoit-Gonin et al. .... 222/564
- 2009/0242564 A1 \* 10/2009 Danks et al. .... 220/361

\* cited by examiner

*Primary Examiner*—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Lackenbach Siegel, LLP;  
Andrew F. Young

(57) **CLAIM**

The ornamental design for a closing means for packaging, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the present invention as shown during use.

FIG. 2 is a front elevation view of FIG. 1.


FIG. 3 is a rear elevation view of FIG. 1.

FIG. 4 is a right side elevation view of FIG. 1, the left side elevation view being a mirror image thereof.

FIG. 5 is a top plan view of FIG. 1; and,

FIG. 6 is a rear perspective view of the present invention.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6