



US00D625726S

(12) **United States Design Patent**  
**Crisp et al.**

(10) **Patent No.:** **US D625,726 S**  
(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **COORDINATE INPUT DEVICE**

(75) Inventors: **Thomas Crisp**, Beaverton, OR (US);  
**Michael Keith Lemmon**, Portland, OR  
(US); **Pierre Harper**, Portland, OR  
(US); **Kai Halsinger**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Saitama (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/344,456**

(22) Filed: **Sep. 29, 2009**

(30) **Foreign Application Priority Data**

Apr. 28, 2009 (JP) ..... 2009-009785

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/389**

(58) **Field of Classification Search** ..... D14/388–390,  
D14/341, 342, 383, 384, 374, 381, 356;  
D19/52; D10/61, 63, 65; 178/18.01, 18.03–18.11;  
345/173–178

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D308,055 S *	5/1990	Tedham et al.	.....	D14/389
D308,198 S *	5/1990	Tedham et al.	.....	D14/389
D333,125 S *	2/1993	Komada et al.	.....	D14/390
D359,984 S *	7/1995	Mak	.....	D14/390
D366,037 S *	1/1996	Kawauchi et al.	.....	D14/389
D377,169 S *	1/1997	Chida	.....	D14/389
D377,789 S *	2/1997	Wang et al.	.....	D14/390
D378,211 S *	2/1997	Kuo	.....	D14/390
D390,211 S *	2/1998	Yates et al.	.....	D14/390
D398,593 S *	9/1998	Tominaga et al.	.....	D14/339
D501,473 S *	2/2005	Nakata	.....	D14/341
D504,889 S *	5/2005	Andre et al.	.....	D14/341
D519,997 S *	5/2006	Hirota	.....	D14/341
D524,308 S *	7/2006	Lai	.....	D14/346
D525,621 S *	7/2006	Hirota	.....	D14/346
D554,640 S *	11/2007	Ponnert et al.	.....	D14/388
D563,806 S *	3/2008	Jeon	.....	D10/65

D574,272 S *	8/2008	Stevens et al.	.....	D10/65
D586,812 S *	2/2009	Guenther	.....	D14/383
D589,961 S *	4/2009	Hackenberg et al.	.....	D14/389
D602,022 S *	10/2009	Heck et al.	.....	D14/389
D602,488 S *	10/2009	Jiang et al.	.....	D14/341

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP D1314721 11/2007

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Seed IP Law Group PLLC

(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a coordinate input device showing a new design;

FIG. 2 is a front elevational view of the coordinate input device;

FIG. 3 is a back elevational view of the coordinate input device;


FIG. 4 is a top plan view of the coordinate input device;

FIG. 5 is a bottom view of the coordinate input device;

FIG. 6 is a right side elevational view of the coordinate input device; and,

FIG. 7 is a left side elevational view of the coordinate input device.

**1 Claim, 5 Drawing Sheets**




# US D625,726 S

Page 2

---

## U.S. PATENT DOCUMENTS

D608,781 S *	1/2010	Wada .....	D14/371	D617,792 S *	6/2010	Andre et al. ....	D14/341
D613,286 S *	4/2010	Lee et al. ....	D14/341	2010/0116560 A1*	5/2010	Sato .....	178/18.01
							* cited by examiner




*Fig.1.*




*Fig. 2.*



*Fig. 3.*



*Fig.4.*



*Fig. 5.*



*Fig. 6.*



*Fig. 7.*