



US00D625760S

(12) **United States Design Patent**  
**Wormser**

(10) **Patent No.:** **US D625,760 S**

(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **SPINNING SIGN ASSEMBLY**

(76) **Inventor:** **Mark Wormser**, 1302 SW. 42nd Ave.,  
Ocala, FL (US) 34474

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/355,859**

(22) **Filed:** **Feb. 16, 2010**

(51) **LOC (9) Cl.** ..... **20-03**

(52) **U.S. Cl.** ..... **D20/42; D20/41; D20/21**

(58) **Field of Classification Search** ..... D20/10,  
D20/19, 21, 22, 29, 37, 39-42, 99; 40/124.01-124.09,  
40/124.11-124.19, 124.191, 446, 473, 479,  
40/538-540, 542, 546, 553, 559, 563, 564,  
40/570, 574, 575, 577, 581, 584, 594, 600,  
40/602-605, 606.01, 606.13, 606.14, 606.16,  
40/606.18, 607.01, 610, 611.01, 617, 624;  
D10/104, 109; D11/166; 160/35, 36; 248/200,  
248/205.1, 207, 283.1; 362/812; D8/373  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,704,755	A *	3/1929	McConnell	.....	248/283.1
2,079,112	A *	5/1937	Eichelsdoerfer	.....	40/617
2,833,065	A *	5/1958	Kies	.....	40/479
3,307,281	A *	3/1967	Mateo	.....	40/124.06
D362,465	S *	9/1995	Gallemore, II	.....	D20/41
D373,601	S *	9/1996	Jackle	.....	D20/21
5,694,733	A *	12/1997	Gallemore, II	.....	40/607.01
6,094,849	A *	8/2000	Phillips et al.	.....	40/546
6,758,003	B2 *	7/2004	Zheng	.....	40/610

7,128,127	B1 *	10/2006	Love et al.	.....	160/335
D599,408	S *	9/2009	Wormser	.....	D20/21
2010/0018095	A1 *	1/2010	Molla	.....	40/606.16

\* cited by examiner

*Primary Examiner*—Mary Ann Calabrese  
(74) *Attorney, Agent, or Firm*—Allen Dyer Doppelt Milbrath  
& Gilchrist

(57) **CLAIM**

The ornamental design for a spinning sign assembly, as shown and described.

**DESCRIPTION**

FIG. 1 is a left, front perspective view of a spinning sign assembly of the present invention;

FIG. 2 is a left side view of the spinning sign assembly of FIG. 1;

FIG. 3 is a right side view of the spinning sign assembly of FIG. 1;

FIG. 4 is a top view of the spinning sign assembly of FIG. 1;

FIG. 5 is a bottom view of the spinning sign assembly of FIG. 1;


FIG. 6 is a front view of the spinning sign assembly of FIG. 1;

FIG. 7 is a rear view of the spinning sign assembly of FIG. 1; and,

FIG. 8 is a left, front perspective view of the spinning sign assembly of FIG. 1, shown in an environment of use.

Broken lines illustrate environmental detail and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**




FIG. 8