



US00D625816S

(12) **United States Design Patent**  
**Griffis, III et al.**

(10) **Patent No.:** **US D625,816 S**

(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **SUTURE ANCHOR DEVICE**

(75) Inventors: **Jack C. Griffis, III**, Decatur, GA (US);  
**Kenneth A. Gall**, Atlanta, GA (US);  
**Christopher M. Yakacki**, Atlanta, GA (US)

(73) Assignee: **Medshape Solutions, Inc.**, Atlanta, GA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/351,501**

(22) Filed: **Dec. 7, 2009**

**Related U.S. Application Data**

(63) Continuation of application No. 29/330,287, filed on Jan. 2, 2009, now Pat. No. Des. 605,763.

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/145; D24/146; D24/147**

(58) **Field of Classification Search** ..... D24/145-146,  
D24/133, 140; 606/60, 62, 102, 144, 148,  
606/232, 233, 300, 303, 306, 308, 310, 323,  
606/352, 916

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,013,316 A \* 5/1991 Goble et al. .... 606/916  
5,100,417 A \* 3/1992 Cerier et al. .... 606/144  
5,224,946 A \* 7/1993 Hayhurst et al. .... 606/232  
5,258,016 A \* 11/1993 DiPoto et al. .... 606/232  
5,545,180 A \* 8/1996 Le et al. .... 606/232

5,584,860 A \* 12/1996 Goble et al. .... 606/232  
D386,583 S \* 11/1997 Ferragamo et al. .... D24/145  
6,165,203 A \* 12/2000 Krebs ..... 606/232  
D605,763 S \* 12/2009 Griffis et al. .... D24/145  
2008/0109037 A1 \* 5/2008 Steiner et al. .... 606/232  
2008/0234731 A1 \* 9/2008 Leung et al. .... 606/232  
2009/0292313 A1 \* 11/2009 Anspach et al. .... 606/232  
2010/0063542 A1 \* 3/2010 van Der Burg et al. .... 606/232

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Wan Laymon

(74) *Attorney, Agent, or Firm*—Greenberg Traurig, LLP

(57) **CLAIM**

The ornamental design for a suture anchor device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a new design for a suture anchor device;

FIG. 2 is a second perspective view thereof;

FIG. 3 is a front side view thereof, the rear side view thereof being identical in appearance;


FIG. 4 is a right side view thereof, the left side view thereof being identical in appearance;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The broken line showing portion of a suture anchor device is included for illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6