



US00D625863S

(12) **United States Design Patent**  
**Kingston et al.**

(10) **Patent No.:** **US D625,863 S**  
(45) **Date of Patent:** **\*\* Oct. 19, 2010**

(54) **FLASHLIGHT**

(75) Inventors: **Ronald J. Kingston**, Syracuse, NY (US); **Donwoong Kang**, Camillus, NY (US); **Scott W. Osiecki**, Skaneateles, NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/355,488**

(22) Filed: **Feb. 9, 2010**

(51) **LOC (9) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/39**

(58) **Field of Classification Search** ..... D26/37, D26/38, 39, 40, 46, 49, 51; 362/157, 158, 362/183, 184, 190, 191, 192, 193, 194, 195, 362/196, 197, 198–208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D472,998 S *	4/2003	Paris et al.	.....	D26/39
D506,846 S *	6/2005	Kang et al.	.....	D26/39
D533,954 S *	12/2006	Opolka	.....	D26/39
D552,278 S *	10/2007	Spartano et al.	.....	D26/39
D560,836 S *	1/2008	Garrity et al.	.....	D26/39
D592,782 S *	5/2009	Hine et al.	.....	D26/39
D603,539 S *	11/2009	Shiu	.....	D26/39

\* cited by examiner

*Primary Examiner*—Charles A Rademaker

*Assistant Examiner*—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(57) **CLAIM**

We claim the ornamental design for a flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a flashlight showing our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a front perspective view of the headlight component of the flashlight with the band and taillight removed for ease of illustration;

FIG. 10 is a rear perspective view thereof;

FIG. 11 is a front view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a left side view thereof, the right side view being a mirror image thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a top view thereof;

FIG. 16 is a front perspective view of the taillight component of the flashlight with the band and headlight removed for ease of illustration;

FIG. 17 is a rear perspective view thereof;

FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof;



FIG. 20 is a right side view thereof;

FIG. 21 is a top view thereof; and,

FIG. 22 is a bottom view thereof.

The broken lines shown in the drawings are for illustrative structure and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**






Fig. 1






Fig. 2



**Fig. 3**



**Fig. 4**




Fig. 5







Fig. 6




**Fig. 7**



**Fig. 8**




**Fig. 9**




**Fig. 10**







**Fig. 11**




**Fig. 12**




**Fig. 13**




**Fig. 14**




**Fig. 15**




**Fig. 16**




**Fig. 17**




**Fig. 18**




**Fig. 19**



**Fig. 20**



**Fig. 21**



**Fig. 22**