

US00D625866S

(12) **United States Design Patent**
Kang et al.

(10) **Patent No.:** **US D625,866 S**
(45) **Date of Patent:** **** Oct. 19, 2010**

(54) **LIGHTING DEVICE**

(75) Inventors: **Donwoong Kang**, Camillus, NY (US);
Scott W Osiecki, Skaneateles, NY (US);
David A Spartano, Brunswick, OH
(US); **Grahame P Ward**, Marcellus, NY
(US)

(73) Assignee: **Energizer Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/359,986**

(22) Filed: **Apr. 19, 2010**

Related U.S. Application Data

(63) Continuation of application No. 29/341,891, filed on
Aug. 14, 2009, now Pat. No. Des. 616,584.

(51) **LOC (9) Cl.** **26-05**

(52) **U.S. Cl.** **D26/60; D26/62**

(58) **Field of Classification Search** D26/28,
D26/37, 44, 60-63, 72, 80; 362/191, 196,
362/197, 200, 396, 397, 473-476
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|--------------|---------|------------|
| D436,202 S | 1/2001 | Chen |
| D464,755 S | 10/2002 | Harris |
| 6,808,289 B2 | 10/2004 | Reed |
| D498,322 S | 11/2004 | Schnell |
| D513,085 S | 12/2005 | Shiu |
| D529,651 S | 10/2006 | Chan |
| D531,339 S | 10/2006 | Lee et al. |
| D542,451 S | 5/2007 | Chan |
| D544,124 S | 6/2007 | Chan |

| | | | |
|-----------------|--------|-------------|--------------|
| D563,581 S | 3/2008 | Niu | |
| D567,414 S | 4/2008 | Schnell | |
| D590,533 S | 4/2009 | Li | |
| D594,149 S | 6/2009 | Chan | |
| D608,037 S * | 1/2010 | Lee | D26/60 |
| D610,284 S | 2/2010 | McDonnell | |
| D616,584 S * | 5/2010 | Kang et al. | D26/60 |
| 2004/0136178 A1 | 7/2004 | Yu | |

OTHER PUBLICATIONS

Energizer.com, Energizer Household Flashlights, Energizer Booklet,
features and benefits, 2007.
Trim Flex LED Flashlight by Energizer. Viewed at Amazon.com,
Feb. 23, 2010.

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(57) **CLAIM**

We claim the ornamental design for a lighting device, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the lighting device.

FIG. 2 is a front perspective view of the lighting device.

FIG. 3 is a front view of the lighting device.

FIG. 4 is a rear view of the lighting device.


FIG. 5 is a right side view of the lighting device. The left side
view is a mirror image of the right side view.

FIG. 6 is a top view of the lighting device; and,

FIG. 7 is a bottom view of the lighting device.

Any broken line(s) shown are for illustrative purposes only
and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7