



US00D626054S

(12) **United States Design Patent**
Walthert

(10) **Patent No.:** **US D626,054 S**
(45) **Date of Patent:** **** Oct. 26, 2010**

(54) **SPOKE**

(75) Inventor: **Martin Walthert**, Bern (CH)
(73) Assignee: **DT Swiss Inc.**, Grand Junction, CO (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/299,701**
(22) Filed: **Jan. 2, 2008**

(30) **Foreign Application Priority Data**

Jul. 2, 2007 (DE) 4 07 03 313

(51) **LOC (9) Cl.** **12-15**
(52) **U.S. Cl.** **D12/213**
(58) **Field of Classification Search** D12/213;
301/37.101, 64.101, 65, 55, 111.01, 104
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,660,319 A * 2/1928 Ash 301/104
5,350,221 A * 9/1994 Pearce et al. 301/104
5,779,323 A * 7/1998 Burrows 301/58
D427,133 S * 6/2000 Baron D12/213
6,189,978 B1 * 2/2001 Lacombe et al. 301/104
6,886,892 B2 * 5/2005 Chiang et al. 301/58
7,077,480 B2 * 7/2006 Hjertberg et al. 301/58

(Continued)

Primary Examiner—Caron Veynar
Assistant Examiner—George D Kirschbaum
(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(57) **CLAIM**

The ornamental design for a spoke, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the present spoke, both sides being identical;
FIG. 2 is a front view of the spoke of FIG. 1, the rear being identical;
FIG. 3 is a bottom view of the spoke of FIG. 1;
FIG. 4 is a bottom view of the spoke as shown in FIG. 2;
FIG. 5 is an enlargement of the spoke as shown in FIG. 3;
FIG. 6 is a top view of the spoke of FIG. 1;
FIG. 7 is side view of an alternate embodiment of the spoke of FIG. 1, both sides being identical;
FIG. 8 is a front view of the spoke of FIG. 7, the rear view being identical; The top and bottom views of the spoke of FIG. 7 being identical to that of FIG. 1;
FIG. 9 is a side view of another alternate embodiment of the present spoke, both sides being identical;
FIG. 10 is a front view of the spoke of FIG. 9, the rear view being identical;
FIG. 11 is a bottom view of the spoke of FIG. 9, the top view being identical;
FIG. 12 is an enlargement of the spoke as shown in FIG. 11;
FIG. 13 is a front view of another embodiment of the present spoke, the rear being identical;
FIG. 14 is a side view of the spoke of FIG. 13, both sides being identical;
FIG. 15 is a bottom view of the spoke of FIG. 14, the top view being identical; and,
FIG. 16 is a bottom view of the spoke of FIG. 13, the top view being identical.
The structures shown in broken lines are submitted for environment purposes only and do not form part of the claimed invention.

1 Claim, 5 Drawing Sheets



US D626,054 S

Page 2

U.S. PATENT DOCUMENTS			
D565,492 S *	4/2008	Chiang	D12/213
7,354,114 B2 *	4/2008	Passarotto et al.	301/104
2004/0174066 A1 *	9/2004	Dietrich	301/104
2005/0173971 A1 *	8/2005	Passarotto et al.	301/104
2006/0261666 A1 *	11/2006	Passarotto	301/104

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16