

US00D626092S

(12) **United States Design Patent**
Clymer et al.

(10) **Patent No.:** **US D626,092 S**
(45) **Date of Patent:** **** Oct. 26, 2010**

(54) **TABLETOP REMOTE CONTROL KEYPAD**

(75) Inventors: **Erica L. Clymer**, Nazareth, PA (US);
Edward M. Felegy, Jr., Macungie, PA
(US); **Gregory M. Snyder**,
Germansville, PA (US); **David William**
Petrillo, Bethlehem, PA (US); **Gregory**
Altonen, Easton, PA (US); **Elliot G.**
Jacoby, Glenside, PA (US); **Joel S.**
Spira, Coopersburg, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/356,287**

(22) Filed: **Feb. 23, 2010**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Classification Search** D13/168;
D10/104, 106; D14/218, 247; 340/825.22,
340/825.24, 825.25, 825.31, 825.36, 825.69,
340/825.72; 341/176; 455/352; 398/106
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D397,996 S	9/1998	Smith	
D422,567 S	4/2000	Mayo et al.	
D453,742 S	2/2002	Butler et al.	
D456,783 S	5/2002	Mayo et al.	
D461,782 S	8/2002	Butler et al.	
D462,332 S	9/2002	Mayo et al.	
D464,635 S	10/2002	Oyama, Jr. et al.	
D465,460 S	11/2002	Mayo et al.	
D465,770 S	11/2002	Bennett et al.	
D466,090 S	11/2002	Bennett et al.	
D466,091 S	11/2002	Bennett et al.	
D466,484 S	12/2002	Bennett et al.	
D475,024 S	5/2003	Bennett et al.	
D475,025 S	5/2003	Bennett et al.	
6,593,530 B2 *	7/2003	Hunt	174/66

D485,534 S	1/2004	Mayo et al.	
D490,780 S	6/2004	Mayo et al.	
D496,335 S	9/2004	Spira et al.	
6,930,260 B2 *	8/2005	Clegg et al.	200/5 A
D509,805 S	9/2005	Spira	
D510,073 S	9/2005	Jacoby et al.	
D518,794 S *	4/2006	Hedderich et al.	D13/164
D546,280 S	7/2007	Marchetto et al.	
D553,123 S	10/2007	Solland	
D554,107 S	10/2007	Calco et al.	
D557,259 S	12/2007	Hirsch	
D592,606 S	5/2009	Felegy, Jr. et al.	
D592,607 S	5/2009	Felegy, Jr. et al.	
D592,608 S	5/2009	Felegy, Jr. et al.	
D592,609 S	5/2009	Felegy, Jr. et al.	
D596,143 S	7/2009	Felegy, Jr. et al.	
D602,446 S	10/2009	Felegy, Jr. et al.	
D604,702 S	11/2009	Felegy, Jr. et al.	
D606,030 S	12/2009	Felegy, Jr. et al.	
D611,431 S	3/2010	Snyder et al.	
D611,915 S	3/2010	Felegy, Jr. et al.	
D614,146 S	4/2010	Felegy, Jr. et al.	
D614,147 S	4/2010	Snyder et al.	
D614,588 S	4/2010	Snyder et al.	
D615,046 S	5/2010	Felegy, Jr. et al.	

FOREIGN PATENT DOCUMENTS

CA 123790 S 6/2009

OTHER PUBLICATIONS

Crestron Electronics, Inc., Integration: Solutions for Dealers, Consultants, and Programmers, 2005, pp. 1, 4, 9.

Crestron Electronics, Inc., Cameo Keypads Specification Sheet, Jul. 2006, 2 pages.

Crestron Electronics, Inc., Cameo Keypads Operations and Installation Guide, Feb. 2008, pp. front cover, i, 1-8, rear cover.

Lutron Electronics Co., Inc., see Touch Ordering Guide, Jan. 2002, 4 pages.



Dynalite Intelligent Light Pty Ltd, Light News, Aug. 2005, 8 pages, issue 2.

Leviton Manufacturing Co., Inc., Vizia-RF 4-Scene Controller with IR-Remote Capability Product Specifications Sheet, 2006, 4 pages.

Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Specification Submittal Sheet, Jan. 2002, 2 pages.

Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Installation Instruction Sheet, Nov. 2001, 2 pages.

Lutron Electronics Co., Inc., Aurora Wireless Lighting Control Brochure, Nov. 2006, 2 pages.



Lutron Electronics Co., Inc., Maestro Wireless Remote Lighting Control Brochure, Sep. 2007, 2 pages.
 Lutron Electronics Co., Inc., Stanza Hotel Guestroom Light Control Brochure, Feb. 20, 2008, 12 pages.
 U.S. Appl. No. 29/293,669, filed Dec. 4, 2007, Biery et al.
 U.S. Appl. No. 29/316,534, filed Oct. 5, 2009, Biery et al.
 U.S. Appl. No. 29/345,905, filed Oct. 23, 2009, Felegy, Jr. et al.
 U.S. Appl. No. 29/345,916, filed Oct. 23, 2009, Felegy, Jr. et al.
 U.S. Appl. No. 29/345,922, filed Oct. 23, 2009, Jacoby et al.
 U.S. Appl. No. 29/345,927, filed Oct. 23, 2009, Jacoby et al.
 U.S. Appl. No. 29/356,282, filed Feb. 23, 2010, Clymer et al.
 U.S. Appl. No. 29/356,291, filed Feb. 23, 2010, Clymer et al.
 U.S. Appl. No. 29/356,293, filed Feb. 23, 2010, Clymer et al.

* cited by examiner

Primary Examiner—Selina Sikder
 (74) *Attorney, Agent, or Firm*—Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a tabletop remote control keypad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tabletop remote control keypad according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a tabletop remote control keypad according to a second embodiment of our new design.

FIG. 8 is a front view thereof.

FIG. 9 is a bottom view thereof, the left side, right side, and top views, respectively, of the second embodiment being identical to the left side, right side, and top views of the first embodiment.

FIG. 10 is a perspective view of a tabletop remote control keypad according to a third embodiment of our new design.

FIG. 11 is a front view thereof.

FIG. 12 is a left side view thereof.

FIG. 13 is a right side view thereof.

FIG. 14 is a top view thereof.

FIG. 15 is a bottom view thereof.

FIG. 16 is a perspective view of a tabletop remote control keypad according to a fourth embodiment of our new design.

FIG. 17 is a front view thereof.

FIG. 18 is a bottom view thereof, the left side, right side, and top views, respectively, of the fourth embodiment being identical to the left side, right side, and top views of the third embodiment.

FIG. 19 is a perspective view of a tabletop remote control keypad according to a fifth embodiment of our new design.

FIG. 20 is a front view thereof.

FIG. 21 is a left side view thereof.

FIG. 22 is a right side view thereof.

FIG. 23 is a top view thereof.

FIG. 24 is a bottom view thereof.

FIG. 25 is a perspective view of a tabletop remote control keypad according to a sixth embodiment of our new design.

FIG. 26 is a front view thereof.

FIG. 27 is a bottom view thereof, the left side, right side, and top views, respectively, of the sixth embodiment being identical to the left side, right side, and top views of the fifth embodiment.

FIG. 28 is a perspective view of a tabletop remote control keypad according to a seventh embodiment of our new design.

FIG. 29 is a front view thereof.

FIG. 30 is a left side view thereof.

FIG. 31 is a right side view thereof.

FIG. 32 is a top view thereof.

FIG. 33 is a bottom view thereof.

FIG. 34 is a perspective view of a tabletop remote control keypad according to an eighth embodiment of our new design.

FIG. 35 is a front view thereof.

FIG. 36 is a bottom view thereof, the left side, right side, and top views, respectively, of the eighth embodiment being identical to the left side, right side, and top views of the seventh embodiment.

FIG. 37 is a perspective view of a tabletop remote control keypad according to a ninth embodiment of our new design.

FIG. 38 is a front view thereof.

FIG. 39 is a left side view thereof.

FIG. 40 is a right side view thereof.

FIG. 41 is a top view thereof.

FIG. 42 is a bottom view thereof.

FIG. 43 is a perspective view of a tabletop remote control keypad according to a tenth embodiment of our new design.

FIG. 44 is a front view thereof.

FIG. 45 is a bottom view thereof, the left side, right side, and top views, respectively, of the tenth embodiment being identical to the left side, right side, and top views of the ninth embodiment.

FIG. 46 is a perspective view of a tabletop remote control keypad according to an eleventh embodiment of our new design.

FIG. 47 is a front view thereof.

FIG. 48 is a left side view thereof.

FIG. 49 is a right side view thereof.

FIG. 50 is a top view thereof.

FIG. 51 is a bottom view thereof.

FIG. 52 is a perspective view of a tabletop remote control keypad according to a twelfth embodiment of our new design.

FIG. 53 is a front view thereof; and,

FIG. 54 is a bottom view thereof, the left side, right side, and top views, respectively, of the twelfth embodiment being identical to the left side, right side, and top views of the eleventh embodiment.

The rear views form no part of the design and are omitted.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54