



US00D626255S

(12) **United States Design Patent**
Hiratsuka

(10) **Patent No.:** **US D626,255 S**
(45) **Date of Patent:** **** Oct. 26, 2010**

(54) **LIGHT-EMITTING DIODE LUMINAIRE**

D590,074 S * 4/2009 Chang et al. D26/1
D599,040 S * 8/2009 Alexander et al. D26/1

(75) Inventor: **Toshio Hiratsuka**, Tokyo (JP)

* cited by examiner

(73) Assignee: **Mirai Environment Development Laboratory Co., Ltd.**, Tokyo (JP)

Primary Examiner—Marcus A Jackson

(74) *Attorney, Agent, or Firm*—Jean C. Edwards, Esq.; Akerman Senterfitt

(**) Term: **14 Years**

(21) Appl. No.: **29/319,989**

(22) Filed: **Jun. 18, 2008**

(30) **Foreign Application Priority Data**

Dec. 18, 2007 (JP) 2007-034746

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.** **D26/1**

(58) **Field of Classification Search** D26/1;
313/313, 315, 316, 317, 318, 493; 315/52,
315/53, 56, 57, 58

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D548,857 S * 8/2007 Egawa D26/1
D566,861 S * 4/2008 Takada et al. D26/1

(57) **CLAIM**

The ornamental design for a light-emitting diode luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front and bottom of a light-emitting diode luminaire showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view, a bottom view being a mirror image thereof; and,

FIG. 5 is a right side view, a left side view being a mirror image thereof.

The portions shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5

