



US00D626348S

(12) **United States Design Patent**
Garrard

(10) **Patent No.:** **US D626,348 S**
(45) **Date of Patent:** **** Nov. 2, 2010**

(54) **PROTECTIVE AND SUPPORTIVE
COMPONENT FOR A MOTORCYCLE SEAT**

DESCRIPTION

(75) Inventor: **W. Keith Garrard**, Grove City, OH
(US)

(73) Assignee: **Sadoru Group, Ltd.**, Grove City, OH
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/348,519**

(22) Filed: **Jan. 14, 2010**

(51) **LOC (9) Cl.** **12-11**

(52) **U.S. Cl.** **D6/354**

(58) **Field of Classification Search** D6/354;
D12/110, 114, 111, 218, 126; 180/219; 280/288.4,
280/304.3, 304.4, 833, 835; 297/195.1, 196-215,
297/215.1-215.16, 219.1, 219.11, 284.1,
297/284.11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D134,578	S *	12/1942	Du Pont et al.	D12/126
4,457,524	A *	7/1984	Yoshiwara	280/835
4,712,637	A *	12/1987	Mogi et al.	180/219
5,002,149	A *	3/1991	Watanabe et al.	180/219
5,172,788	A *	12/1992	Fujii et al.	180/219
5,511,822	A *	4/1996	Wolanski	280/770
6,663,128	B2 *	12/2003	Dichter	280/288.4

(Continued)

Primary Examiner—Philip S Hyder

Assistant Examiner—Linda G. Brooks

(74) *Attorney, Agent, or Firm*—Roger A. Gilcrest

(57) **CLAIM**

The ornamental design for a protective and supportive component for a motorcycle seat, as shown and described.

FIG. 1 is an upper rear perspective view of a protective and supportive component for a motorcycle seat in accordance with the present invention.

FIG. 2 is a front lateral perspective view of a protective and supportive component for a motorcycle seat in accordance with the present invention, with the support and attachment portions shown in phantom.

FIG. 3 is a rear elevation view of a protective and supportive component for a motorcycle seat in accordance with the present invention, with the support and attachment portions shown in phantom.

FIG. 4 is a front elevation view of a protective and supportive component for a motorcycle seat in accordance with the present invention, with the support and attachment portions shown in phantom.

FIG. 5 is a top plan view of a protective and supportive component for a motorcycle seat in accordance with the present invention.

FIG. 6 is a bottom plan view of a protective and supportive component for a motorcycle seat in accordance with the present invention, with the support and attachment portions shown in phantom.


FIG. 7 is a first lateral view of a protective and supportive component for a motorcycle seat in accordance with the present invention and of which FIG. 8 is a mirror image, with the attachment portion shown in phantom.

FIG. 8 is a second lateral view of a protective and supportive component for a motorcycle seat in accordance with the present invention and of which FIG. 7 is a mirror image, with the attachment portion shown in phantom; and,

FIG. 9 is a lateral view of a motorcycle bearing a protective and supportive component for a motorcycle seat in accordance with the present invention, wherein the motorcycle is shown in phantom.

The motorcycle, motorcycle seat and motorcycle tank shown are shown in phantom, as are the support and attachment structures, which form no part of the claimed invention.

1 Claim, 5 Drawing Sheets



US D626,348 S

Page 2

U.S. PATENT DOCUMENTS				7,367,577 B1 *	5/2008	Garrett	280/288.4
6,896,279 B2 *	5/2005	Galvagno	280/304.5	2008/0238164 A1 *	10/2008	McMillen et al.	297/284.3
D517,332 S *	3/2006	Manchester et al.	D6/354	* cited by examiner			
7,258,357 B1 *	8/2007	Berezny	280/288.4				




FIG-1




FIG-2




FIG-4




FIG-3




FIG-5




FIG-6




FIG-8




FIG-7




FIG-9