



(12) **United States Design Patent**
Pugilisi

(10) **Patent No.:** **US D626,590 S**
(45) **Date of Patent:** **** Nov. 2, 2010**

(54) **INSTRUMENT BARREL**

(75) Inventor: **Marc Pugilisi**, Fairfield, NJ (US)

(73) Assignee: **Points of Light, Inc.**, Fairfield, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/349,030**

(22) Filed: **Mar. 1, 2010**

Related U.S. Application Data

(62) Division of application No. 29/313,944, filed on Feb. 20, 2009, now Pat. No. Des. 613,794.

(51) **LOC (9) Cl.** **19-06**

(52) **U.S. Cl.** **D19/51**

(58) **Field of Classification Search** D19/35,
D19/36, 41, 42, 43, 44, 45, 46, 47, 48, 49,
D19/50, 51, 54, 55, 56, 57; 24/11 F, 11 P,
24/11 R; 401/6, 52, 99, 100, 104, 105, 106,
401/107, 108, 109, 192, 195, 243, 244, 245,
401/246, 247

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

298,767 A * 5/1884 Deli 401/236
D26,395 S * 12/1896 Kraus D19/46
640,543 A * 1/1900 Donning 242/588.1
1,708,915 A * 4/1929 Deli 401/52
1,736,430 A * 11/1929 Deli 379/456
D81,529 S * 7/1930 Davis D19/46
D82,309 S * 10/1930 Bloser D19/51
2,081,036 A * 5/1937 Gray 402/21
2,234,942 A * 3/1941 Nichols 359/809
D132,641 S * 6/1942 Sanders D19/42
2,358,791 A * 9/1944 Collopy et al. 368/93
D149,922 S * 6/1948 Weston D19/46
D151,307 S * 10/1948 Weston D19/57
D154,610 S * 7/1949 Kuhn D19/46
2,502,328 A * 3/1950 Kuhn 40/334
2,521,657 A * 9/1950 Severy 401/226
2,536,923 A * 1/1951 Fehling 401/101

3,063,419 A * 11/1962 Parker 401/100
3,123,291 A * 3/1964 Madry 235/87 R
3,477,792 A * 11/1969 Shore 401/109
D220,069 S * 3/1971 Collaud D19/56
4,630,953 A * 12/1986 Rocha Cabral et al. 401/83
D332,964 S * 2/1993 Giugiaro D19/49
D334,023 S * 3/1993 Giugiaro D19/49

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000343306-0001 * 7/2005

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Gloria Tsui-Yip, Esq.;
Howard C. Miskin, Esq.

(57) **CLAIM**

The ornamental design for an instrument barrel, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof; and,

FIG. 4 is a right side view thereof, the left side view being a mirror image; and,

FIG. 5 is a top view thereof.

The stipple-like pattern shown on the clip and globe and the dashed lines shown on the lower portion of the instrument barrel in FIGS. 1, 4, and 5 illustrate environmental matter, which form no part of the claimed design.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

D336,517	S	*	6/1993	McKeown		D24/133	
D337,611	S	*	7/1993	Peersmann		D19/48	
D341,200	S	*	11/1993	Yoshimoto		D24/133	
D357,275	S	*	4/1995	Covington et al.		D19/42	
D377,051	S	*	12/1996	Takemura		D19/51	
D385,301	S	*	10/1997	Wang		D19/54	
D388,458	S	*	12/1997	Takemura		D19/36	
D400,922	S	*	11/1998	Sakuno		D19/48	
6,024,104	A	*	2/2000	Dolberry		132/325	
D449,856	S	*	10/2001	Matsuzaki et al.		D19/43	
6,572,299	B1	*	6/2003	Brennan		401/195	
D487,770	S	*	3/2004	Hwang		D19/43	
D487,773	S	*	3/2004	Keda		D19/48	
D497,179	S	*	10/2004	Chen		D19/36	
D497,638	S	*	10/2004	Chen		D19/36	
6,846,123	B1	*	1/2005	Bedford		401/195	
D507,599	S	*	7/2005	Qiu		D19/50	
D509,850	S	*	9/2005	Bhavnani		D19/36	
D527,049	S	*	8/2006	Bhavnani		D19/36	
7,125,186	B1	*	10/2006	Stokes		401/8	
D542,844	S	*	5/2007	Qiu		D19/51	
D552,686	S	*	10/2007	Cetera		D19/56	
D569,434	S	*	5/2008	Cetera		D19/55	
D577,071	S	*	9/2008	Qiu et al.		D19/51	
D588,195	S	*	3/2009	Booker		D19/51	
D594,583	S	*	6/2009	Puglisi		D26/49	
D595,770	S	*	7/2009	Zhang		D19/46	
D601,197	S	*	9/2009	Zhang		D19/48	
7,581,896	B2	*	9/2009	Yoon		401/106	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D626,590 S
APPLICATION NO. : 29/349030
DATED : November 2, 2010
INVENTOR(S) : Marc Puglisi

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (75):

The Inventor's last name's spelling is not Pugilisi, and is hereby corrected to Puglisi.

Signed and Sealed this
Sixth Day of November, 2018

A handwritten signature in black ink, appearing to read "Andrei Iancu". The signature is fluid and cursive, with the first name "Andrei" and last name "Iancu" clearly distinguishable.

Andrei Iancu
Director of the United States Patent and Trademark Office