



US00D626629S

(12) **United States Design Patent**  
**Sedwick**

(10) **Patent No.:** **US D626,629 S**

(45) **Date of Patent:** **\*\* Nov. 2, 2010**

(54) **FAUCET BODY**

(75) Inventor: **Jennifer P. Sedwick**, Lakewood, OH (US)

(73) Assignee: **Moen Incorporated**, North Olmsted, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/354,735**

(22) Filed: **Jan. 28, 2010**

(51) **LOC (9) Cl.** ..... **23-01**

(52) **U.S. Cl.** ..... **D23/238**

(58) **Field of Classification Search** ..... D23/238,  
D23/241–243, 250, 252, 255, 257; 4/675–678;  
137/801

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |                |
|------------|---------|----------------|
| D301,162 S | 5/1989  | Oberdorfer     |
| D324,095 S | 2/1992  | Grohe          |
| D350,389 S | 9/1994  | Gottwald       |
| D351,017 S | 9/1994  | Gottwald       |
| D353,650 S | 12/1994 | Haug et al.    |
| D354,336 S | 1/1995  | Delabie et al. |
| D355,706 S | 2/1995  | Chretien       |
| D364,214 S | 11/1995 | Lobermeier     |
| D367,919 S | 3/1996  | Lobermeier     |
| D368,303 S | 3/1996  | Lobermeier     |
| D380,811 S | 7/1997  | Gottwald       |
| D390,918 S | 2/1998  | Lobermeier     |
| D397,205 S | 8/1998  | Kergoet        |
| D397,768 S | 9/1998  | Delabie et al. |
| D399,302 S | 10/1998 | Bertoli        |
| D400,645 S | 11/1998 | Kergoet        |
| D403,745 S | 1/1999  | Lobermeier     |
| D410,066 S | 5/1999  | Kergoet        |
| D410,277 S | 5/1999  | Lobermeier     |
| D413,375 S | 8/1999  | Meda           |
| D413,376 S | 8/1999  | Meda           |
| D426,287 S | 6/2000  | Fiegl et al.   |

|              |         |                        |
|--------------|---------|------------------------|
| D435,088 S   | 12/2000 | Fleischmann            |
| D441,426 S   | 5/2001  | Lim                    |
| D447,219 S   | 8/2001  | Donath, Jr. et al.     |
| 6,314,593 B1 | 11/2001 | Mantel                 |
| 6,363,549 B2 | 4/2002  | Humpert et al.         |
| D465,556 S   | 11/2002 | Ouyoung                |
| D474,260 S * | 5/2003  | Marshall ..... D23/238 |
| D474,261 S   | 5/2003  | Schönherr et al.       |
| D477,653 S   | 7/2003  | Neufeld et al.         |
| D486,561 S   | 2/2004  | Spangler               |

(Continued)

*Primary Examiner*—Robert A Delehanty

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold LLP

(57) **CLAIM**

The ornamental design for a faucet body, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a faucet body of the new design;

FIG. 2 is a front elevational view of the faucet body of FIG. 1;

FIG. 3 is a rear elevational view of the faucet body of FIG. 1;


FIG. 4 is a left side elevational view of the faucet body of FIG. 1, the right side elevational view being a mirror image thereof;

FIG. 5 is a top plan view of the faucet body of FIG. 1; and,

FIG. 6 is a bottom plan view of the faucet body of FIG. 1.

The portions of the Figures shown in broken lines are not part of the claimed design and are for illustration only.

**1 Claim, 4 Drawing Sheets**



# US D626,629 S

Page 2


---

## U.S. PATENT DOCUMENTS


D487,134 S 2/2004 Blattner  
D492,010 S 6/2004 Sutopo  
D524,417 S 7/2006 Kulig

D530,397 S \* 10/2006 Buschmann ..... D23/238  
D550,812 S 9/2007 Haug et al.  
D585,524 S 1/2009 Schoenherr et al.


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**