

US00D626769S

(12) **United States Design Patent**  
**Rogers**

(10) **Patent No.:** **US D626,769 S**

(45) **Date of Patent:** **\*\* Nov. 9, 2010**

(54) **LOCKER INSERT**

(76) **Inventor:** **Amy T. Rogers**, Locker Insert, Catoosa, OK (US) 74015

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/340,490**

(22) **Filed:** **Jul. 20, 2009**

(51) **LOC (9) Cl.** ..... **06-06**

(52) **U.S. Cl.** ..... **D6/509**

(58) **Field of Classification Search** ..... D6/332,  
D6/396, 429, 454, 491-492, 449, 509; D20/10;  
D25/58; 211/169, 180; 160/135, 351; 40/605,  
40/610

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |                    |       |         |
|-----------|-----|---------|--------------------|-------|---------|
| 3,538,976 | A * | 11/1970 | Jones et al.       | ..... | 160/130 |
| D286,322  | S * | 10/1986 | Catania et al.     | ..... | D23/406 |
| D352,140  | S * | 11/1994 | Easton et al.      | ..... | D30/156 |
| D405,976  | S * | 2/1999  | Beall              | ..... | D6/396  |
| D417,801  | S * | 12/1999 | Robert             | ..... | D6/449  |
| D439,652  | S * | 3/2001  | Schonberger et al. | ..... | D23/406 |
| D442,321  | S * | 5/2001  | Cheng              | ..... | D26/102 |

|              |      |         |             |       |         |
|--------------|------|---------|-------------|-------|---------|
| D544,922     | S *  | 6/2007  | Shaffer     | ..... | D20/10  |
| D560,072     | S *  | 1/2008  | Willis      | ..... | D6/332  |
| D615,307     | S *  | 5/2010  | White       | ..... | D6/332  |
| 2003/0221798 | A1 * | 12/2003 | Hunt et al. | ..... | 160/135 |
| 2004/0112550 | A1 * | 6/2004  | Green       | ..... | 160/135 |

\* cited by examiner

*Primary Examiner*—Elizabeth A Albert  
*Assistant Examiner*—Kelley A Donnelly  
(74) *Attorney, Agent, or Firm*—Dale J. Ream

(57) **CLAIM**

The ornamental design for a locker insert, as shown and described.

**DESCRIPTION**


FIG. 1 is a front view of a locker insert showing my new design;

FIG. 2 is a top view thereof, the bottom view being a mirror image thereof;

FIG. 3 is a left side view thereof, the right side view being a mirror image thereof; and,

FIG. 4 is a perspective view of the locker insert ready for installation in a locker.

**1 Claim, 2 Drawing Sheets**



---

FIG. 2




FIG. 1



FIG. 3




FIG. 4