



US00D627140S

(12) **United States Design Patent**
Dyer

(10) **Patent No.:** **US D627,140 S**

(45) **Date of Patent:** **** Nov. 16, 2010**

(54) **COMBINED VISOR AND LIGHTS**

D507,093 S * 7/2005 Burmester D2/893
D529,214 S * 9/2006 Sherring D26/39

(75) Inventor: **Simon Dyer**, 6 Rapaki Road,
Christchurch (NZ)

(73) Assignee: **Simon Dyer**, Christchurch (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,631**

(22) Filed: **Nov. 14, 2007**

(51) **LOC (9) Cl.** **02-03**

(52) **U.S. Cl.** **D2/866; D2/893; D26/38**

(58) **Field of Classification Search** D26/37,
D26/38, 39, 51; 362/103, 105, 106, 108,
362/157, 190, 253; D2/866
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,231,079	A	10/1980	Heminover	
4,774,434	A	9/1988	Bennion	
4,901,211	A	2/1990	Shen	
5,088,127	A	2/1992	Thornock	
5,253,149	A	10/1993	Ostema et al.	
5,404,593	A	4/1995	Kronenberger	
5,438,488	A	8/1995	Dion	
5,510,961	A	4/1996	Peng	
5,567,037	A	10/1996	Ferber	
D376,469	S *	12/1996	Harkness D2/891
5,649,758	A	7/1997	Dion	
5,680,718	A	10/1997	Ratcliffe et al.	
5,741,060	A	4/1998	Johnson	
5,927,842	A	7/1999	Preisler	
6,032,293	A	3/2000	Makki	
6,056,413	A	5/2000	Urso	
6,168,286	B1	1/2001	Duffy	
6,499,857	B1	12/2002	Lumley	
6,538,567	B2	3/2003	Stewart	
6,659,618	B2	12/2003	Waters	
6,719,437	B2	4/2004	Lary et al.	
6,721,962	B1	4/2004	Polaire	
D489,165	S	5/2004	Waters	
D501,290	S *	2/2005	Zuloff D2/866

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 60/753,743, filed Dec. 22, 2005, Dyer.

Primary Examiner—Charles A Rademaker

Assistant Examiner—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Knobbe Martens Olson & Bear LLP

(57) **CLAIM**

The ornamental design for a combined visor and lights, as shown.

DESCRIPTION

FIG. 1 is a top plan view of the combined visor and lights having two light pods;

FIG. 2 is a bottom plan view of the combined visor and lights of FIG. 1, with detail showing two light pods with a light in each;

FIG. 3 is a right elevational view of the combined visor and lights of FIG. 1, the left elevational view being identical and therefore is not shown;



FIG. 4 is a perspective view of the bottom of the combined visor and lights of FIG. 1, with detail showing two light pods with a light in each;

FIG. 5 is a front elevation view of the design of FIG. 1, with detail showing two light pod members; and,

FIG. 6 is a rear elevation view thereof.

The circular broken lines in the center of a light pod represents a light switch, and these broken lines are directed to environmental structure. All other broken lines represent boundary lines.

1 Claim, 5 Drawing Sheets



US D627,140 S

Page 2

U.S. PATENT DOCUMENTS

D536,814 S *	2/2007	Choi	D26/39	2003/0231489 A1*	12/2003	Hsiao	362/106
2002/0186180 A1	12/2002	Duda et al.		2005/0078473 A1*	4/2005	Zuloff	362/106

* cited by examiner




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5




Figure 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D627,140 S
APPLICATION NO. : 29/297631
DATED : November 16, 2010
INVENTOR(S) : Simon Dyer

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, Column 1, item (73), change “(NL)” to --(NZ)--.

Signed and Sealed this
First Day of November, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office