



US00D627684S

(12) **United States Design Patent**  
**Curtis et al.**

(10) **Patent No.:** **US D627,684 S**  
(45) **Date of Patent:** **\*\* Nov. 23, 2010**

(54) **SEAT BELT AND BUCKLE ASSEMBLY**

(75) Inventors: **Vicki A. Curtis**, Stanwood, WA (US);  
**Shawn A. Clafin**, Seattle, WA (US);  
**Karen L. Cavalier**, Brier, WA (US)

(73) Assignee: **The Boeing Company**, Chicago, IL  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/329,217**

(22) Filed: **Dec. 10, 2008**

(51) **LOC (9) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/1-2,  
D11/200-201, 203-206, 210, 212, 214-219,  
D11/222, 224, 226; 24/163 R, 169-171,  
24/173, 177-179, 191, 194-195, 197, 200  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D198,566 S *	7/1964	Holmberg	.....	D11/216
6,378,178 B1	4/2002	Pedersen et al.		
D489,867 S	5/2004	Stahl		
D521,410 S *	5/2006	Nottingham et al.	.....	D11/216
D578,931 S *	10/2008	Toltzman et al.	.....	D11/216
D592,542 S *	5/2009	Pontaoe	.....	D11/216

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Yee & Associates, P.C.; Brett  
L. Halperin

(57) **CLAIM**

The ornamental design for a seat belt and buckle assembly, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the seat belt and buckle assembly in an attached position;

FIG. 2 is a top view of the seat belt and buckle assembly in an attached position;

FIG. 3 is a side view of the seat belt and buckle assembly in an attached position;

FIG. 4 is a bottom view of the seat belt and buckle assembly in an attached position;

FIG. 5 is a perspective view of the seat belt and buckle assembly in a detached position;

FIG. 6 is a top view of the buckle;

FIG. 7 is a side view of the buckle;

FIG. 8 is a front view of the buckle depicting the sloped floor of the buckle;

FIG. 9 is a back view of the buckle;

FIG. 10 is a bottom view of the buckle;

FIG. 11 is a top view of the seat belt tongue;

FIG. 12 is a side view of the seat belt tongue;


FIG. 13 is a front view of the seat belt tongue;


FIG. 14 is a back view of the seat belt tongue; and,

FIG. 15 is a bottom view of the seat belt tongue.

The broken lines shown in the figure drawings are included for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**





*FIG. 1*





FIG. 2



FIG. 3



*FIG. 4*




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15