

US00D627708S

(12) **United States Design Patent**
Carter et al.

(10) **Patent No.:** **US D627,708 S**
(45) **Date of Patent:** **** Nov. 23, 2010**

(54) **TIRE TREAD**

D618,613 S * 6/2010 Vandaele et al. D12/600

(75) Inventors: **Jason P. Carter**, Greenville, SC (US);
Joseph A. Stain, Shelby, NC (US); **Paul**
Phillip Grosskopf, Greenville, SC (US)

FOREIGN PATENT DOCUMENTS
EM 000636550-0001 1/2007
EM 000770409-0001 8/2007

(73) Assignee: **Michelin Recherche Et Technique**,
Granges-Paccot (CH)

OTHER PUBLICATIONS

2007 Tread Design Guide, p. 120, Michelin XZL.
2007 Tread Design Guide, p. 143, Continental TGD2.
2007 Tread Design Guide, p. 143, Continental STL3.
2007 Tread Design Guide, p. 154, Michelin XADN.

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/344,960**

(22) Filed: **Oct. 7, 2009**

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Dority & Manning, P.A.

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579; D12/602**

(58) **Field of Classification Search** D12/568,
D12/571, 574, 577–603, 536, 642, 544, 566–567,
D12/900–901; 152/209.1, 209.8–209.19,
152/209.25–209.28

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D112,993 S	1/1939	Hardeman	
D313,778 S *	1/1991	Kobayashi et al.	D12/579
D390,818 S	2/1998	De Barsy et al.	
D393,236 S	4/1998	Rowe	
D397,066 S	8/1998	Grosskopf et al.	
D397,649 S *	9/1998	Grosskopf et al.	D12/602
D402,239 S	12/1998	Le et al.	
D457,128 S *	5/2002	Robert et al.	D12/602
D493,415 S *	7/2004	Noailly	D12/579
D500,285 S	12/2004	Ikeda	
D512,370 S	12/2005	Pang	
D557,654 S *	12/2007	Yamaguchi	D12/579
D577,660 S *	9/2008	Durand	D12/579
D595,641 S	7/2009	Carter	
D601,086 S *	9/2009	Maus et al.	D12/602
D609,630 S *	2/2010	Buchinger-Barnstorf ...	D12/600

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;

FIG. 2 is a side elevation view of the right side thereof;

FIG. 3 is a side elevation view of the left side thereof;

FIG. 4 is a front elevation view thereof; and,

FIG. 5 is a front elevation view thereof;

In the drawings, the dark stippled surface shading represents the recessed groove portions of the tire tread having a depth as best illustrated along the top and bottom edges of FIG. 2. In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts environmental structure and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5