

US00D627897S

(12) **United States Design Patent**
Yde et al.

(10) **Patent No.:** **US D627,897 S**
(45) **Date of Patent:** **** Nov. 23, 2010**

(54) **PERCUSSION MASSAGER ATTACHMENT**

(75) Inventors: **Steve Yde**, Sterling, IL (US); **Chad Aulwes**, Sterling, IL (US); **Jenny McLaughlin**, Amboy, IL (US); **Tangwen Xu**, Ningbo (CN); **Jianguang Wang**, Ningbo (CN)

(73) Assignee: **Wahl Clipper Corporation**, Sterling, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/341,172**

(22) Filed: **Jul. 31, 2009**

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D24/214**

(58) **Field of Classification Search** D24/200,
D24/204, 206, 211–215, 201; 601/19, 22,
601/27, 28, 29, 30, 31, 39, 46, 56, 63, 68,
601/72, 80, 125, 135, 157, 169, DIG. 12,
601/DIG. 14, DIG. 16, DIG. 17; D6/335,
D6/336; D21/685

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,920,957	A	5/1990	Sutherland	
5,065,743	A	11/1991	Sutherland	
5,569,168	A	10/1996	Hartwig	
D376,015	S	* 11/1996	Newberry	D24/211
D381,431	S	* 7/1997	Antoskow	D24/211
D396,226	S	* 7/1998	Davis, Sr.	D24/211
D403,429	S	* 12/1998	Blanchard	D24/211
D439,378	S	* 3/2001	Loomis	D30/160
D442,343	S	* 5/2001	Flynn	D30/160
D447,809	S	* 9/2001	Gladieux et al.	D24/211
D473,657	S	* 4/2003	Lewis-Jonsson	D24/211
D478,385	S	8/2003	Dirks et al.	

D479,607	S	*	9/2003	Chen	D24/211
6,911,010	B2		6/2005	Dirks et al.	
6,988,997	B2	*	1/2006	Stultz	601/135
D520,144	S	*	5/2006	Cafaro et al.	D24/215
D556,913	S	*	12/2007	Laituri	D24/214
D581,543	S	*	11/2008	Ferber et al.	D24/215
D582,049	S	*	12/2008	Ferber et al.	D24/215
D582,480	S	*	12/2008	Ichinose	D24/215
D582,563	S	*	12/2008	Ferber et al.	D24/215
D583,064	S	*	12/2008	Ferber et al.	D24/215
D585,162	S	*	1/2009	Partain et al.	D30/160
D599,029	S	*	8/2009	Ferber et al.	D24/215

* cited by examiner

Primary Examiner—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(57) **CLAIM**

The ornamental design for a percussion massager attachment, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the present percussion massager attachment;

FIG. 2 is a front view of same;

FIG. 3 is a right side view of same;

FIG. 4 is a left side view of the present massager attachment;

FIG. 5 is a rear view of same;


FIG. 6 is a top view of the present massager attachment;

FIG. 7 is a bottom view of same; and,

FIG. 8 is a perspective environment view showing the attachment mounted to a massager unit.

The structure shown in broken lines is for environmental purposes only and does not form any part of the claimed invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8